



TRANSONIQ HACKER

The Independent News Magazine for Ensoniq Users

SCSI Arrives for the EPS

by Craig Anderton

Recently a friend of mine from Ensoniq, who knows that I've been using the EPS heavily the past few months, asked if I wanted to get a look at their OEX-8 output expander (which had just been released) and SCSI hard disk (which is not yet available as of this writing). Of course I said yes, and figured that dedicated Hacker readers would probably be interested too, so here's the scoop so far.

The OEX-8 output expander adds eight individual outputs to the EPS. (Of course, the two existing outputs can also be used as solo outs by panning signals full left or right.) Each output can carry as little as a single note from a single Wavesample, to polyphony from a complete Instrument. If you think about it (and remember you have 20 voices to spread among those eight outputs), the possibilities are really pretty staggering. (Next stop: more mixer inputs and patch cords - there's no use having eight separate outputs unless you can use them.)

The SCSI port, with its implication of adding a hard disk for ultra-fast data transfer to and from non-volatile storage, is probably the item of greatest interest if for no other reason than for its inherent tech-appeal. Although hard disks are not exactly trouble-free, there is a precedent for using them with music gear; E-mu put a lot of effort into integrating hard disks with their samplers, and the results have been amazingly reliable.

What a hard disk delivers is speed, storage, and convenience. You can store almost 90,000 blocks in a 44 megabyte drive (and over a *quarter million* blocks in a 140 MB drive), and thanks to SCSI (a high-speed computer interface used in the Macintosh and other computers), the load and save times are exceptionally fast. It takes but a few seconds to load an entire disk into memory; with shorter sounds, the data is loaded before you know it.

The basic organizational unit is the *directory*, which can hold up to 38 files. However, any of these files can be a sub-directory, which holds another 38 files, of which any one can be a sub-directory...you get the idea. Suffice it to say you'll run out of memory before you run out of files; basically, any and all files can be directories or sub-directories. This works very much like the way "folders" do on a Macintosh.

Ensoniq has tested the following drives and found them to work with the EPS: Jasmine DirectDrive 45/70, Rodime 60plus and 140plus, General Computer Hyperdrive FX/20, Mass Micro 30, and Microtech 90. If you already have a hard drive for your Mac, don't expect to be able to use it with the EPS as is. The formatting for an EPS and Macintosh drive is completely different, so you can't share a hard drive between an EPS and Mac. You really need to dedicate a drive to the EPS.

Another problem is that no "E-Z-backup" software is complete yet; you'll have to scrupulously back up your floppies. As the manual points out, the hard disk *will* fail and you *will* lose all your work - this is guaranteed. The only question is when the inevitable crash will occur (hopefully later rather than sooner, but flukes can and do

In This Issue...

MIRAGE:

Yamaha WX7 and the Mirage
Philip Rosine.....15

Review: The Lush Disk
Steven Fox.....17

The Mirage Sequencer
Ernie Mansfield.....18

ESQ-1/ SQ-80:

ESQ Practice Hints
Chris Barth.....7

Review: SQ-80 Essential 1 (VSD-2)
Jim Lammers.....9

Review: Valhala's ES1 Librarian
Wayne Dooley.....10

All About Modulation
Jim Johnson.....11

Hackerpatch
Sam Mims & Contributors.....20

EPS:

SCSI Arrives for the EPS
Craig Anderton.....Cover

Of Instruments and Layers
Clark Salisbury.....6

The EPS as a Drum Machine
Garth Hjelte.....13

Yet More EPS as a Drum Machine
Steven Fox.....14

GENERAL:

Random Notes.....3

Hypersoniq.....3

Classifieds.....22

The Interface.....23

occur). Having a hard drive makes it easy to be lazy, but if you don't back up your work, you are destined to lose it.

The SCSI software and hardware has not yet been released, so it was buggy (although the main problem was one consistent bug that kept cropping up, not a number of seemingly unrelated ones). I'll assume that by the time the complete product (SCSI interface card, software rev 2.0, and manual) becomes available, the bugs will be mostly out; but I will say the system is, at the very least, usable right now.

I'm excited about adding SCSI to the EPS for two reasons. One, I've been a big Emulator II fan over the years, and have really grown fond of its CD-ROM (although I don't have an E-II hard disk). I pretty much considered the CD-ROM a luxury at first, but being able to load any of thousands of sounds in about 15 seconds is really convenient - no looking around for disks, no waiting for loading, and instant selection. A hard disk provides the same convenience for the EPS, but is faster and unlike a CD-ROM, you can save your own sounds to hard disk.

The other important incentive for getting the Mac and EPS fully tuned in to SCSI hard disks is to take full advantage of Blank Software's "Alchemy" sound editing program. I've always felt that Alchemy was technologically ahead of its time - in other words, its software was designed to a higher level than the hardware it was supposed to serve. Well, the hardware is catching up (if you have the bucks to surf the leading edge). Being able to shoot samples back and forth between Alchemy and the EPS at SCSI rates eliminates that tiresome, maddeningly slow MIDI transfer (hooray), while the hard disk at the EPS end makes EPS loading and saving totally painless. The result is a truly high-speed, high-

performance editing and storage system. Figure that even at a system list price around \$3,350 (\$2,000 for the EPS, \$350 for the 2X memory expander, \$200 for the SCSI port, and \$800 for a typical 45 Megabyte drive) you're getting a lot of convenience for the money.

In the grand scheme of things, the SCSI port takes the EPS one step closer to completion. The manual (still not available) has been a long time coming; the 4X expander is in memory-price limbo; and the "10 Essential Sound Disks" were just released recently. SCSI will of course be a boon to the pros using the EPS, but Ensoniq probably realizes that third party sound developers will be able to go about their tasks far more efficiently if a hard disk is available - and with samplers, the sound library is the key to sales. (Well, at least until people get a bit more adventuresome about doing their own sampling.)

Look for the SCSI retrofit sometime in September for \$199.95. I'm impressed; it drastically accelerates the saving and loading process.



Bio: Craig Anderton is the editor-in-chief of Electronic Musician magazine. He plays with the group Transmitter, produces/mixes albums, and has written several books and hundreds of articles on musical electronics. His series of Classic Synth Disks for the EPS should be available soon.

MAKE LIFE JUST A LITTLE EASIER...

MIDICASTER by Tim Martin

With Midicaster. Midicaster is a special operating system that turns the Mirage into a system exclusive storage device. It will store System Exclusive data from any MIDI device (including synths that require two-way communication, such as the CASIO CZ series) - synthesizer sounds, drum machine patterns, sequencer data - Midicaster handles it all. You can even design your own "Midi macro keys", allowing you to add custom functions to Midicaster. Midicaster also formats disks and copies operating systems. And Midicaster is easy to use - you'll become an expert within minutes. Most importantly, Midicaster reads and sends files directly from disk, without disturbing the Mirage's memory.

Here's what the industry is saying about MIDICASTER:

"THIS THING REALLY WORKS!" *MUSIC TECHNOLOGY*, June 1988: "This software is simple enough that you can figure it out without too much trouble. CHECK THIS ONE OUT!"

TRANSONIQ HACKER, May 1988: "It's not expensive and uses a disk drive that already exists. Although it excels in live use, it has applications for studio types as well... MIDICASTER is fast enough to conveniently load patches or patterns or whatever between songs while playing live." "Sysex files can be transferred without disturbing the present samples!"

LARRY KRALL, president of Multimedia Studios: "We were using a computer for sequencing and as a patch librarian. Every time we needed new sounds we had to kill the sequencer, and then load a specific patch librarian for each Midi synth. Now we use MIDICASTER to store sounds for all our Midi gear - the computer does it's job, and MIDICASTER does the rest!"

While you're at it, check out the reviews in *KEYBOARD*, (August 1988), and *MUSIC, COMPUTERS, & SOFTWARE*, (September 1988).

EVERYONE'S RAVING ABOUT MIDICASTER!
MIDICASTER - only \$49.95. ORDER NOW:

Yes - please rush me my very own Midicaster.
Enclosed, find my check or money order for \$49.95.
Name:
Address:
City, State, Zip:



Clark Salisbury & Erick Hailstone

7280 SW 104th Beaverton, Or. 97005 (503) 643-7286 (24 hours)

Front Panel

RND (♪♪)

ENSONIQ has asked us to announce that while they are aware that PA Decoder is now advertising a ROM update for the ESQ-1 to add extra waveforms as well as an 8X expander for the EPS, and that while they do welcome these products from the third party developers out there, they also want to caution their customers that the products from PA Decoder have not yet been submitted to ENSONIQ for approval. Until they can approve such products, the customer runs the risk of severely damaging their unit and, of course, voiding their warranty.

This is actually the first that we've heard about these products. We'll have more information as it becomes available.

* * *

EPS (S# 12856) was recently stolen from one of our readers. If you happen upon it please give us a call.

* * *

If your keyboard friends are sponging off your Hacker subscription this is a good time to get them their own subscription for Christmas. We'll even include a note or card if you want (you supply the card).

* * *

If you'd like to see Hackerpatches for the Mirage running Soundprocess, send 'em on in and we'll figure out some way to publish them.

* * *

We'd sure like to see more third-party sound development for the EPS. If you've been toying with the idea of selling samples, this is probably as good a chance as you're going to get to take the plunge.

TRANSONIQ-NET HELP WITH QUESTIONS

ALL ENSONIQ GEAR - Ensoniq Customer Service. Business hours, East Coast time. 215-647-3930.

EPS QUESTIONS - Garth Hjelte. Advent Productions. Pacific time (WA). Call anytime. If message, 24-hour callback. (206) 242-9220.

MIRAGE 24-HOUR HOTLINE - M.U.G., 914-963-1768.

ESQ-1 AND SQ-80 QUESTIONS - Tom McCaffrey. ESQUPA. 215-750-0352, before 11 p.m. Eastern Time.

ESQ-1 QUESTIONS - Jim Johnson, (602) 821-9266. 8 a.m. to 5 p.m. Mountain Time (AZ).

ESQ-1 QUESTIONS - International, Brendon Sidebottom, (03) 689-5731 Australia. No calls between 4 a.m. and 10 a.m. Australian ES time.

SAMPLING & MOVING SAMPLES - "Mr. Wavesample" - Jack Loesch, (201) 264-3512. Eastern Time (N.J.). Call after 6:00 P.M.

MIDI USERS - Eric Baragar, Canadian MIDI Users Group, (613) 392-6296 during business hours, Eastern Time (Toronto, ONT) or call MIDILINE BBS at (613) 966-6823 24 hours.

SAMPLING - Mark Wyar, (216) 323-1205. Eastern time zone (OH). Calls between 6 pm and 11 pm.

MIRAGE HARDWARE & FIRMWARE - Scott D. Willingham. Pacific Time (CA). Weekdays: 6-9 p.m., Weekends: 12-9 p.m. (213) 397-4612.

MIRAGE OPERATING SYSTEM - Mark Cecys. Eastern Time (NY). Days. (716) 773-4085.

MASOS - Pete Wacker. Whenever. (602) 937-1177.

CHANGE OF ADDRESS

Please let us know at least four weeks in advance to avoid missing any issues. The Post Office really will NOT reliably forward this type of mail. (Believe us, not them!) We need to know both your old and your new address. (Issues missed due to late or no change notification are your own dumb fault - we mailed them!)

BACK ISSUES

Back issues are \$2.50 each. (Overseas: \$3 each.) Issues 1-9, 11, 13-19, 21, 22, and 27 are no longer available. Subscriptions will be extended an equal number of issues for any issues ordered that are not available at the time we receive your order. ESQ-1 coverage started with Issue Number 13. SQ-80 coverage started with Number 29, (although most ESQ-1 coverage also applies to the SQ-80). EPS coverage started with Number 30. Permission has been given to photocopy issues that we no longer have available - check the classifieds for people offering them. Reprints in our "Quick and Dirty Reprint Series" are available: MIRAGE OPERATIONS, for \$5, and MIRAGE SAMPLE REVIEWS for \$4. Each contains material from the first 17 issues.

SUBSCRIPTION INFORMATION

12 MONTHLY ISSUES

US: \$23/year. All others: \$30/year. (Please use International Money Order, payable in US funds.) Please make payable and mail to:

TRANSONIQ HACKER,
1402 SW UPLAND DR., PORTLAND, OR 97221.

HYPERSONIQ NEW PRODUCT RELEASES

CYBERSONIQ is releasing an update for the *Synthbank Volume 1*. The current release Version (2.0) will be in the split-disk format only and is being released to ensure compatibility with the Vol. 2 disk. Version (2.0) now uses the Mod Wheel for standard LFO effects with chorusing and wavetable mixing built into the programs. Without the update there would be confusion when using Vol. 1 and 2 sounds together; some sounds would have LFO modulation while others would have chorusing. Other Version 2.0 Updates: (1.) Computer FM waves have been smoothed via computer software for cleaner playback. (2.) Filter Parameters have been modified to reduce aliasing noise. (3.) Wavetables have been shifted around for new combination possibilities using Mixmode. (4.) Sequences 1-3 feature sketch demos for their respective banks. (5.) Several patches feature dynamic wavetable mixing from keyboard velocity. Current Vol. 1 owners can receive the update for a \$5 shipping and handling fee by writing to CYBERSONIQ, PO BOX 1771, Madison Square Station, New York, NY, 10159.

Current Ensoniq Operating Systems

INST	OS	DISK	EPROMS
EPS	1.5	X	
MASOS	2.0	X	
MIRAGE	3.2	X	
ESQ	3.5		X
ESQ-M	1.2		X
SQ-80	1.8		X

Feed your Mirage some Leaping Lizards

• New operating systems for the Ensoniq Mirage •

THE IGUANA MIDI SYSTEM EXCLUSIVE LIBRARIAN

\$39.95

If you own a Mirage, DON'T buy a MIDI disk drive! You can turn your Mirage into a MIDI disk drive at a fraction of the cost of the real thing! • Store all your MIDI System Exclusive data on ordinary Mirage sound disks • Transmits MIDI data request messages • 128k memory • Play your other instruments from the Mirage keyboard • MIDI delay feature for use with older keyboards • Quick and easy to use, with an easy to understand instruction manual • THE IGUANA is more than just a MIDI disk drive, it's a patch librarian. And unlike a competitors similar sounding O.S., only THE IGUANA gives you true "librarian" features, allowing you to store entire collections of patches (etc.) on a single Mirage disk. For example, you can store up to 2976 DX-7 or TX81Z voices on a single disk and be able to download any single bank of sounds in a matter of seconds. • A much more flexible alternative for Mirage/ESQ owners, store up to 1920 ESQ voices, or three or more songs on a single disk • THE IGUANA is quickly being regarded as THE standard, already thousands of third party voices & patches are available in THE IGUANA format.

• "worth its weight in gold" KEYBOARD 1/88 •

Here is but a brief list of compatible devices, please call us for more information if you have an instrument not listed below:

YAMAHA • ALL - Including all keyboards, rack modules, drum machines, effects units, & sequencers

ALESIS • HR-16, MMT-8

ROLAND • D-50, D-550, S-10, GM-70, MT-32, JX-8P, Octapad, & more

AKAI • ALL

KORG • DDD-1, DDD-5, DS-8, EX-800, DW-8000, & more

KAWAI • ALL

OBERHEIM • ALL

SEQUENTIAL • ALL

ENSONIQ • ESQ-1, ESQ-m, SQ-80

THE CHAMELEON THE ULTIMATE MULTI-UTILITY DISK

\$39.95

New & improved v1.3. A collection of 15 unique utility programs in a single operating system. Format a disk in 30 seconds and place the operating system of your choice on the disk at the same time. Copy any operating system and make backups of your previously uncopiable "boot" disks, even the most heavily protected disks! Make foolproof backups of your library disks. Copies disks using a single Mirage or using two Mirages linked together. Repair disk errors and recover lost data! Our unique "Auto-Detect" feature detects when you have inserted a new disk and begins disk functions automatically. But that's not all! You can give your Mirage a complete check-up. Check for common problems such as: a sticky keypad, a sticky disk drive, an off center pitch wheel or modulation wheel, keys that don't play, or keys that sound louder or softer than the other keys. You can easily check these and other problems. No other utility disk offers as many features as THE CHAMELEON.

• "The Chameleon is the most convenient way I'm aware to do backups, and its other utilities are also very useful." T.H. 7/88 •

O.S. 3.d IMPROVE YOUR PERFORMANCE

\$24.95

Turn your Mirage into the ultimate controller keyboard! O.S. 3.d is an update to Ensoniq's O.S. 3.2 which adds new performance enhancements to the Mirage: Receive and transmit over separate MIDI channels. Re-define the modulation wheel to transmit other MIDI controller data in real time, such as breath control, volume, portamento time, data entry, etc. Re-define the footswitch to transmit other MIDI switch information other than sustain. Transpose by semi-tones to give the Mirage keyboard an effective range of all 128 notes. Transposing affects the Mirage's internal voices as well as the voices of your other instruments. A MIDI "panic button" sends an all notes off message to the Mirage and to your other instruments. Parameter changes are now more than three times faster. Plus three new banks of sounds by Steven Fox.

• "...no Mirage owner should do without" T.H. 4/88 •

THE IGUANA JUNIOR FOR THE PERFORMING MUSICIAN

\$24.95

THE IGUANA JUNIOR is a small version of THE IGUANA plus O.S. 3.d, both incorporated within the normal Mirage operating system environment. It lets you play your Mirage sounds like normal but with all the additional features of O.S. 3.d (see above), then at a touch of a button you can send MIDI SysEx data to all your other instruments. Just as quickly, you're back to the normal O.S. 3.d operating system and playing sounds again. Ideal for the performing musician, since you no longer need to boot and re-boot operating systems for different tasks. Requires THE IGUANA to initially record and store your SysEx data dumps on the same disks as your Mirage sounds. With the additional performance enhancements of O.S. 3.d, no similar operating system offers nearly as much. Includes three banks of new sounds by Steven Fox, including the infamous "10 STORY BUILDING" & "BUBBLIN' BASS".

MIRAGE MONITOR v1.0 DESIGN YOUR OWN O.S.


\$49.95

For the C-64 or C-128. Not a visual editor! This program allows you to disassemble & assemble the entire 160k of Mirage memory in true 6809 assembly language. MIRAGE MONITOR V1.0 gives you direct access to the operating system memory, sequencer memory, sample memory, disk drive, VIA, ROM, MIDI UART, Q-chip, etc., entirely from the Commodore. Use MIRAGE MONITOR V1.0 to customize your Mirage O.S., or create entirely new O.S.'s. Includes a disk for the Mirage, a disk for the C-64, and a 32 page instruction manual.

AVAILABLE NOW FROM YOUR LOCAL ENSONIQ DEALER OR DIRECT FROM LEAPING LIZARDS

100% MONEY BACK GUARANTEE.

We know you will find any of our products invaluable, but if you are dissatisfied in any way, simply return it within 30 days for a complete refund. What have you got to lose?



If ordering by mail, send a check or money order and add the following for shipping:
\$2.50 for orders within the US and Canada
\$5.00 for COD, \$6.00 overseas air-mail
\$10.00 for overnight express mail (US only)
• All orders are shipped within 48 hours •

ORDER TOLL-FREE 1-800-367-0333

TECHNICAL ENQUIRIES AND OUTSIDE THE U.S. CALL (206) 527-3431

• CALL OR WRITE FOR OUR FREE, FUN FILLED CATALOG •

LEAPING LIZARDS, 1614 1/2 NE 80th St., SEATTLE, WA 98115-4450

VALHALA MUSIC, Inc.

BUY DIRECT and SAVE!



Unlike some ROM manufacturers, VALHALA's cartridges use only 100% high-quality parts, gold plated edge connectors (for less wear & tear and reliable connections), and the exact same housing as Ensoniq (unlike some bulky cartridges!), along with the reliability that VALHALA is known for!

320-Voice ROMS

\$99.00

80 - Voice ROMS \$25.00 ea.

160 -Voice ROMS \$52.00 ea.

Valhala's 320 voice ROMS 3201 & 3202 contain all our voices ready to load into your ESQ & SQ synths.
Real creative power at your fingertips instantly!

(Send SASE for complete voice listings - indicate synth.)



NEW! ROM3202 - 320 new voices!

80 Voice Percussion ROM Only \$30.00!



DX7

Sound Patch Library™

\$29.00

- 757 different patches.
- 214 pages, spiral bound book.
- Compatible with DX7II & DX7S!

BOOKS!

Best Sellers Worldwide!

ESQ1 Bible™ (Prog Ref.)

\$19.00

- Enhance your programming skills.
- Learn acoustic sound programming.
- Includes 40 patches explained.

ESQ1

Sound Patch Library™

\$25.00

- 757 different patches.
- Spiral bound typeset book.
- The only patch book you'll ever need!



GOOD NEWS

TX81Z

Add new dimensions to your TX81Z or DX11!

757 New Voices

\$56.00 per format

On Data Cassette or Macintosh 3.5" disk for Valhala's TX81Z program or Opcode's Mac program.

D-50

M-256 RAM CARDS

\$55.00* each

*When purchased in quantities of 3 or more.

Buy 1 RAM CARD only \$69.00

Buy 2 RAM CARDS only \$65.00 each

For an additional \$10.00 per RAM CARD you can choose any one of our seven D-50 sound blocks from our STUDIO SERIES™ to be loaded onto your RAM CARD when purchased from VALHALA.

IN REVIEW

The Valhala cards constitute a hunk of fine synth programming. There's not a dog in the bunch, and each volume has a few absolute killers. Velocity and aftertouch are routed to useful parameters in a very playable fashion.

-Ted Greenwald July 1988 KEYBOARD

D-50

ROM MEMORY CARDS

\$40.00 each

The STUDIO SERIES™

448 new and exciting voices

now available on our seven

STUDIO SERIES™ Sound Blocks.

Top 40 • New Age • PCM
Analog • Digital • Effects
Orchestral

D-50 Demo Cassette only \$3.00 p/p in USA.

(Demo Features all 448 voices played individually!)

(All other countries send \$7.50 for D50 Demo.)

COMING SOON!

D10, D20 and D110 Studio Series™ voices, only from VALHALA!



Thousands of Memory Cards Sold Worldwide!



To check on the status of an order or for customer assistance & product info requests call:

1-313-548-9360

Our toll-free number is for the placing of Visa or MasterCard orders only (No COD's). When calling have your card number ready along with the expiration date.

(Before placing an order, if you have questions, first call Valhala at (313) 548-9360.)

Toll-Free Order Line Only: 1-800-648-6434 ext: 506



ORDER FORM Mail to: VALHALA Box 20157-TH Ferndale, Michigan 48220

QTY	PRODUCT DESCRIPTION	PRICE	EXTENDED
SUBTOTAL		\$	
Mich 4% Tax		\$	
SHIPPING		\$	
EXTRA SHIPPING		\$	
GRAND TOTAL		\$	

Name _____

Street _____

City _____

State _____ Zip _____

Area Code/Phone _____

VALHALA Music, Inc.
(313) 548-9360

Shipping/Handling Information


Continental USA \$3.50 Shipping/Handling; 2nd Day UPS \$6.00 S/H. Mich. res. add 4% sales tax. Alaska, Hawaii & Canada \$7.50 S/H for UPS/Regular Mail or \$14.00 for Air Mail.

All other Countries add \$16.00 S/H plus \$3.00 for each additional item ordered. All foreign payments must be in USA FUNDS drawn on a USA bank! Send a SASE for full warranty/replacement/return info. All Charge Card orders under \$15.00 subject to a \$2.00 Service fee.

Card # _____

Exp. Date _____

Signature _____



Of Instruments and Layers

by Clark Salisbury

One of the major off-ramps most of us new EPS owners encounter on the road to sampling nirvana is the rather unfamiliar relationship between samples, layers, patches, and instruments. So let's take a look at the basic architecture of an EPS preset - and in the process become more like the gods of sampling we know we all could be.

First, a preset in the EPS is called an "instrument". Many of you will know by now that the EPS can have a total of eight "instruments" on board at any one time. And (of course) you can load a new instrument into memory while you're playing another instrument - the EPS is famous for that little bit.

The confusion, however, springs from the fact that an EPS "instrument" can be much more complex than any of the normal type of synthesizer presets that most of us are familiar with. Way totally much more complex, dude.

First, an EPS "instrument" is composed of layers. Up to eight of 'em. That's right, eight layers of sounds are available within each EPS "instrument". You're probably familiar with some synthesizer or other that allows you to layer a couple of different sounds across the keyboard. Perhaps you'd like to play both strings and piano at the same time - layering allows you to do so. But where most instruments allow you to layer only two sounds on top of each other, the EPS allows you to layer as many as eight different sounds on the keyboard, within a single "instrument". And since you can also layer instruments, you'll find that you can layer as many sounds as you have notes available, which means that up to 20 sounds can be layered on a single key, since the EPS is 20 voice polyphonic. Humma-humma. And that's not even taking into account the fact that you can have multiple split points within each of those layers - but we're getting ahead of ourselves here.

So back to layers. Each layer in the EPS is made up of a group of individual samples - anywhere from 1 to 127 individual samples, to be exact. These samples can be arranged across the keyboard to form the basic instrument sound - perhaps a multi-sampled piano (where a number of notes from a piano are sampled in different ranges to allow for a more accurate representation of the piano sound) or a multi-sampled drum kit (where a number of different samples are taken from different drum and percussion sounds, then arranged across the keyboard), or any other arrangement of samples your bizarre and twisted mind might come up with. Or a layer may not contain any samples at all - just copies of other samples from other layers (which are actually sets of pointers which "point" at other samples). The advantage to this is that you can have layers of samples that have their own processing - tuning, envelopes, stereo panning, etc. - but that take up virtually no memory. Sampling a synthetic waveform and copying it to a bunch of layers can allow you to create a number of synth sounds (a different one for each layer) and might use only a tiny fraction of the EPS's memory.

Anyway, once you have a layer's worth of samples stuffed into the EPS, you will probably want to create a "patch". A patch is simply a grouping of layers. One patch may have layers 1 and 2 active, while another patch may have layers 1,3,5 and 6 active. Patches are accessed (logically enough) by pressing combinations of the two "patch select" buttons located above the mod wheels. Those of you with a binary bent will immediately realize that two patch select buttons will yield a total of four combinations. Hence, each EPS instrument can

have up to four patches, which are simply different combinations of the eight layers.

If you want to turn layers on and off, pressing the "EDIT" button, then double-clicking the "INSTRUMENT" button will take you to a display that shows which layers are currently active for the instrument and patch you have selected. From here you can simply use the left/right cursor keys to underline the layer you wish to turn on or off, and use the up/down cursor keys to turn that specific layer on or off. And in this mode, if you watch the window while pressing different combinations of the patch select buttons, you can see which patches activate which layers in whatever instrument you currently have selected.

It all seems simple enough, doesn't it? It's easy to get lost, though, with all these different levels of programming available. For example, you might want to set a key range for a single sample within an instrument - but you could inadvertently be setting the key range for the entire instrument if you don't pay attention to which level you're working with. So just for the record, the hierarchy is this:

- 1) The most basic level in the EPS is that of the single sample. A sample can have its own processing (envelopes, tuning, panning, etc), its own stereo placement (or separate output, if you are using the audio output expander), and its own key range. A sample (and its processing) is grouped along with other samples (and their processing) into the second level, the layer.
- 2) The layer can have its own processing, just like a single sample does. Any processing done at the level of the layer will either be added to, or replaced (depending on which you choose), with the processing applied to the individual samples within the layer. Any of the processing available for single samples can be applied to entire layers, with the exception of key range (and, of course, looping, gain normalizing, volume smoothing, sample rate conversion, and a number of other sample-specific types of processing). The layer is then grouped (along with other layers) into the third level, the patch.
- 3) The patch is simply a collection of one or more layers that are used to make up the final level in the hierarchy, the instrument.
- 4) All the processing available for single samples is also available at the instrument level (with the exception, of course, of the wavesample-specific types of processing, such as looping, volume smoothing, and so on). In addition, an instrument can be transposed (in either octave and/or semitone increments) by double-clicking on the "Set Keyboard Range" button.

One final cautionary note. When editing at the layer or instrument level, the data slider and the up/down buttons take on slightly different functions than when they are used to edit a single sample. Let's take tuning as an example.

Suppose that you have an instrument made up of two samples - a sample of a tuba on the lower half of the keyboard and a sample of a bagpipe on the upper half. Now let's suppose that the tuba sample is playing a bit flat in relation to the bagpipes sample. Easy enough to fix - simply hit "Edit", make sure that "WS-" is underlined, and play a note of the tuba sample. This, of course, selects the tuba sample for editing. Now

double-click the "Pitch" button - this will take you immediately to the tuning page. Since the tuba is only slightly flat, you'll probably want to underline "Fine=", and then use the slider and up/down buttons to fine tune the tuba sample. All well and good.

Now let's suppose that this entire preset (tuba and bagpipes) turns out to be a shade flat from concert pitch (even though the tuba and bagpipes samples are in tune with each other). Well, it seems like it should be easy enough to fix. Simply press "Edit", underline the instrument name (to select the entire instrument for editing), double-click on the pitch button, and go. Ah, but it's not that easy, MIDI-breath. If you should try to use the data slider to tune the instrument, you'll find that the pitch of both samples will immediately go to whatever value is showing in the display (i.e., the current value) - and this might not necessarily be the value that you want. However, if you use the up/down buttons, the values that you select will either be added to or subtracted from the current values for each of the individual wavesamples. In other words, if the tuba has a fine tune value of -12, and the bagpipes has a value of

+6, hitting the up button once will set the tuba to -11, and the bagpipes to +7, while setting the data slider to a value of +7 will cause the tuba sample and the bagpipes to both go to a value of +7. Mercifully, though, hitting the "cancel/no" button will restore all settings to their previous values, giving you an easy way to "back out" if you find you've strayed too far afield. In any case, it's always best to try to be aware of what it is, precisely, that you wish to accomplish when editing at the layer or instrument level.



Bio: Clark Salisbury is a partner in the MIDI Connection, a Portland-based consulting firm. He has been actively involved in the composition, performance, and recording of electronic music for over 8 years and is now producing his own pop-oriented compositions. His favorite color is chrome.

ESQ Practice Hints

by Chris Barth

Home studios are great, but there's nothing that will improve your playing skills as much as performing with other musicians. If you don't have the time or opportunity to join in with others anymore, why not take advantage of the ESQ-1 sequencer instead? Let's look at a few applications. While this article will focus upon the internal sequencer contained in the ESQ-1, the tips will work with any reasonably equipped sequencer.

One approach is to view the sequencer as a substitute for a live teacher - a rigid substitute with a strict sense of time and no creativity whatsoever. For example, you can start with one of the *Private Lessons* in *Keyboard* magazine (highly recommended). Using the transcription contained in the column, enter it into the sequencer. For most of us, we can play anything if it's slow enough. Just drop the tempo on the sequencer until it's at a speed which lets you enter the piece accurately. This will force you to concentrate on proper fingering without worrying about speed. Enter the left hand part on one sequencer track and enter the right hand part on a different track. By entering the part for each hand on a separate track, you can take advantage of the sequencer's ability to mute individual tracks.

Don't worry if you have trouble loading in the piece, even at a slow tempo. Use your sustain footswitch in the sequencer jack on the back of the synth to create a sequence for the number of measures you need. Then see if you can load in the first few bars correctly, without worrying about the rest. Once you've managed the first few bars (maybe just the first or second, if it's a really tough piece), use the overdub function to punch in the next couple of bars, until you've entered the whole piece.

If you're rehearsing scales and basic lessons like the Hanon exercises for piano, playing along with prerecorded scales and exercises is much more enjoyable than butchering them by yourself. The sequencer ignores all of your mistakes and provides a steady reference point for your timing. And, it sounds a lot better!

Once you've entered the piece into your sequencer, you can now rehearse in a number of different ways: (1) practice the left hand on the "straight synth" (no sequencer track is selected) in unison with the prerecorded left hand sequencer track, increasing the tempo from a crawl to whatever speed you can handle; (2) practice the left hand on the "straight synth" while muting the same prerecorded part on the sequencer; (3) try the

preceding using the right hand instead; and (4) practice one hand while alternately playing in unison or solo against the other hand.

The next step is to increase the challenge. Once you've mastered a scale or musical phrase in one key, most jazz piano teachers are going to tell you to play the whole thing one whole tone up and then one down. Of course, this changes most of the proper fingering, and having to read a piece of music in the key of C major while playing it in B major is the sort of final exam you play in some music courses.

The trick here is to take advantage of the transposition function in your sequencer. On the ESQ, you can transpose tracks individually, or all at once. If your prerecorded practice piece is in the key of A major, and now you want to learn it in A flat major, you'll have to transpose two tracks (the left and right hand parts) separately, each down a step. If your prerecorded part takes up three or more sequencer tracks, you could save the single sequence as a song, and then transpose the song up or down. This would be much faster than transposing lots of individual tracks up or down.

Finally, if you've ever tried to play eighth notes on one hand against triplets on the other, you'll find the whole job much easier playing along with the sequencer. Once you've mastered it, it's yours forever - and the sequencer can usually get you there a lot faster than you can by yourself.

If you've got a drum machine, there's no reason why it shouldn't be keeping a simple beat for you also. It's certainly a lot more fun than playing along with a metronome!

The big advantage to practicing with your sequencer lies in its ability to provide an aural reference which can make learning a new piece much easier. We all know musicians who can learn songs from records but can't learn anything from sheet music. If I have to learn something from paper, I've found it much easier if I can hear it at a proper tempo while I'm practicing it. While nothing beats a good teacher, even the best go home at the end of your lesson. Material you load into your sequencer is available for practice anytime.

Bio: Chris Barth writes and produces his own top 40 demos in his MIDI home studio using an ESQ-1, a Kawai R-100 drum machine, various guest musicians and signal processors. ■



Cesium Sound

The Definitive SQ-80 Library

all new sounds
40 Voice Volumes on disk

1. Keyboards
2. Guitars, Basses, and Drums
3. Synths and Techno
4. New Age
5. Pitched Percussion
6. Bells and Harps
7. Voices and Strings
8. Brass and Woodwinds

one	two	four	eight
\$12.50	\$20.00	\$30.00	\$50.00
All 1120 ESQ-1 and SQ-80 sounds, \$120.00			
Demo cassette \$5.00, list with descriptions, \$1.00			
Programmable cartridge prices at right			

D-50 Sounds on ROMs, RAMs, and data disks

1. Top 40
2. Analog
3. New Age, Space
4. Orchestral

	one	two	four
ROM cards	\$50.00	\$90.00	\$160.00
RAM cards	\$80.00	each, with any volume	
Your RAM card filled	\$25.00		

All four volumes on Opcode or Dr. T librarian disk \$80.00
IBM compatible, Amiga, or other librarians call or write for assistance.

Demo cassette \$5.00, sound list with descriptions, \$1.00

TX81Z Sounds on Cassette

5 volumes (160 sounds) \$25.00

free list with descriptions

The Premier ESQ-1 Library

expanded, upgraded, also compatible with SQ-80
80 Voice Cartridges 40 Voice Volumes

- | | |
|---|---|
| A | 1. Acoustic Keyboards
2. Electric Keyboards |
| B | 3. Guitars and Basses
4. Lead Synths |
| C | 5. Analog
6. Techno |
| D | 7. Abstract Effects
8. Imitative Effects |
| E | 9. Drums and Percussion
10. Pitched Percussion |
| F | 11. Gongs, Jars, and Glass
12. Space |
| G | 13. New Age 1
14. New Age 2 |
| H | 15. Bells
16. Plucked Strings |
| I | 17. Singing Voices
18. Orchestral Strings |
| J | 19. Woodwinds
20. Brass |

160 voice programmable cartridges with any four volumes \$90.00

80 voice programmable cartridges with any two volumes \$50.00

	each	four	ten
80 voice non-erasable cartridges A-J	\$30	\$100	\$200

40 voice volumes on data cassette, \$10.00 each
Mirage diskette, or SQ-80 diskette

Half Price Special! All 800 Sounds \$100.00

on data cassette, Mirage diskette, SQ-80 diskette,
ESQ-apade data disk, Blank Software or Opcode data disk.
IBM compatible, Amiga, or other librarians call or write for assistance.

Demo cassette \$5.00, sound list with descriptions \$1.50.
Manual explaining terminology in this ad, \$1.50.

Please include \$2.50 for shipping, CA residents add sales tax. Send check, MO, or call.
Cesium Sound, 1640 Walnut St. #C, Berkeley, CA 94709 (415) 548-6193



ESQ-apade is a trademark of Dr. T's Music Software. Opcode is a trademark of Opcode Systems. Blank is a trademark of Blank Software. D-50 is a trademark of RolandCoru. TX81Z is a trademark of Yamaha International Corp. ESQ-1, Mirage, SQ-80, and Ensoniq are trademarks of Ensoniq Corp. IBM is a trademark of International Business Machines Inc.. Amiga is a trademark of Commodore Computer Corp..

SQ-80 Essential 1 (VSD-2 disk)

Reviewed by Jim Lammers

For: SQ-80.
Product: Essential 1 (VSD-2 disk).
Price: \$19.95.
From: Ensoniq Corporation, 155 Great Valley Parkway, Malvern, PA 19355.

CONTEXT. Taken out of context, the sublime and elegant can seem ridiculous - and vice-versa. The field of musical arrangement bears this out well: sometimes a tacky sound, used sparingly, improves a piece of music. However, when a synthesist judges new sounds, they are usually isolated and out of context, with only a title to suggest the concept of the program. I don't know about other keyboardists, but when I am checking out a new set of voices, (which usually have little more documentation than a list) I look at the title. If it has BS, BAS or BASS in it somewhere, I'm going to try out single notes in the low end of the keyboard. GT or GTR sends me to the pitch bend wheel. That's what the programmer intended, isn't it? If I don't "get" a name (sometimes 6 letters can be so abstract), I play the keyboard like... well, like a piano. Which may or may not be impressive... usually not.

It is probable that in the past, I have dismissed a patch as useless when I misinterpreted the intent of the programmer. Sometimes it may be a case where the programmer had a certain playing technique in mind, or that the MOD wheel should be halfway up. Of course, this is what documentation is all about. But so often, seemingly vital information is left for the customer to figure out. Well, no more. In the land of the SQ-80, there is plenty of disk space for the patch programmer to show us exactly how to use the voice. What better way to show off a bunch of patches, than to put them in a song - in the context that they sound best. Which brings me to these, the first after-purchase patches from Ensoniq exclusively for the SQ-80.

Although the only thing really for sale here are the 40 patches, there are four files on the disk: The "Essential 1" bank (which is what you paid for), the internals (which all SQ-80 owners already have - the SQ defaults to these if its battery power is lost) and two sequencer banks. The first bank contains ten compositions to show off the Essential 1 sounds. The second sequencer bank contains a (as in one) new tune for the internal patches.

When I received the new disk, I went directly to the voices and flipped through them. As usual, it seemed that there were a few standouts and a lot of marginally useful sounds. After I was finished flipping, I started listening to the demo sequences. This time, some of those previously mediocre sounds were now real winners.

Take PROTUS, for instance. When I soloed this voice it sounded like another one of those boring string/accordion-sounding textures that show up in every synth and voice package. Later, during one of the sequences I noticed a wonderful, ominous-sounding low note fade in. One note, very quiet, and very low. But that note with that sound, in the context of the music, raised the song to a higher level.

Another interesting discovery occurred with the patch CYCLOP. This was a bright, obtrusive sound with a pronounced downward filter sweep. At first I thought it was all but unusable. During a demo sequence later, this patch made for a great bass sound when the MOD wheel (which lowered

the filter frequency) was brought back enough to tame the obnoxious overtones.

KALMBO, a "plunky" patch, was used to great effect on the fourth demo song - quick, bouncy arpeggios in a kind of African groove. That sequence showed how KALMBO could be used in a novel way. I will definitely be using this patch in the future.

Some sounds were impressive even without the sequences. KLVSTR, an ambient tone that was neither clavinet-ish nor string-ish, is both offbeat and new. SNOGZ is a bright lead sound that also stood out. After a note had mostly died away, applying key pressure brought the volume back up. XMAS, which paired a bell tone with a string envelope, was also interesting.

Almost none of the patches attempt to be imitative, so this is not the place to find a certain instrument you might be needing. Indeed, the majority of the sounds are of the icing-on-the-cake variety. The basic timbre of half of the voices is either bell-like and inharmonic (8) or a breathy tone (12). These are strong, cutting sounds that will dominate in a mix. The other twenty sounds are less intense, but it is unlikely that one would build songs entirely from the patches of Essential 1.

I found the documentation (a folded 11 x 5 card) to be lacking. The card lists the voices, and includes a general statement about the cool effects to be found in key pressure, key velocity, and pedal/wheel controller changes during certain patches. Ensoniq calls these the "hidden capabilities" of a patch, but they are "hidden" only because they did not want to tell us what does what; preferring that we discover them on our own or via the demo sequences. I don't know whether Ensoniq is trying to promote that do-it-yourself spirit, or paper is just too gosh darn expensive for them to document these things. What I would like to see (here comes the sermon) is a page describing each patch, including a photo-reduction of its program sheet, a summary of modulator functions, and a few notes/suggestions from the author (somewhat like the format of the HackerPatch). And why not credit the author of a patch/sequence? Somebody somewhere programmed the patch or composed the sequence. Why do they go nameless?

Thirty six out of the forty patches are represented in the sequences, most of which are long, complex and interesting. The various modulators are used in there too, helping to occupy all but 6K of the SQ-80's 64K internal sequencer memory.

The second sequence (for the internal voices) was interesting, but not the tour de force of the original Demo-A (on VSD-1, included with the SQ-80). It was similar to Demo-B (from the same); an uptempo jazz funk piece that highlighted the brass, violin, and electric guitar sounds. The reason for providing this new sequence was not clear to me. Perhaps these sequences were just laying around the Ensoniq factory, and they stuck 'em on the disk because there was so much unused disk space.

The front of the package also confused me. It says that these voices are "designed exclusively to demonstrate the unique sound making capability of the SQ-80 and ... Cross-Wave Synthesis." Exclusively to demonstrate? What does that mean? Are these patches and sequences to serve as demos for dealers to impress customers with, or are they a kind of

tutorial in patch programming for new SQ-80 owners? I suspect that some marketing person worded that line in a misleading way, so I assume that Ensoniq does consider these patches to be useful, and more than merely a demonstration of capability. Who wants to pay twenty bucks for a demonstration?

In summary, the overall quality of programming is quite good, as one might expect from the creator of these instruments. The patches themselves though, are a bit like spices: strong, but when used sparingly and appropriately, they can

dramatically add to your creation. Assuming that you already have most of the meat and potatoes sounds you need, this collection should make a useful addition to your library.

BIO: Jim Lammers is an Anaheim-based Electrical Engineer, transplanted recently from Kansas City. Evenings find him songwriting in his home studio, and weekends find him cruising PCH in his 'vette with the radio blasting, guzzling Dr. Peppers. ■

Valhala's ES1 Librarian

Reviewed by Wayne Dooley

For: ESQ-1 and C-64.
Product: ES1 Patch/Sequence Librarian.
Price: \$65 plus \$3.50 shipping.
From: Valhala, Box 20157-TH, Ferndale, MI 48220.

For those of us with ESQs and C-64s who wanted to use the latter to manipulate program and sequence data from the former, there was one predominant choice at first; Blank Software's Sound File. Last I heard, Blank abandoned the 64 Sound File, still in a buggy V1.0, and the last of these were left with Dr. T for clearance. In light of this, the ES1 package from Valhala is especially welcome.

General Description

ES1 consists of two separate utilities. The first is a voice program librarian which allows the 64 to hold up to a whopping 12 banks (48K) of programs. The second utility is a 3 bank/sequence librarian. With either utility, data can be sent to or received from the ESQ as well as saved to or loaded from disk. The package is written in very tight machine language, is attractive, and user-friendly enough that a 2-page manual is all that is necessary. Interfaces supported are Sequential, Passport, Dr. T and Syntech. Valhala has upgraded the program at least a few times (I received V4.1), and this is indicative of good customer support. The author mentioned that he thought of also including a patch editor, but this is really unnecessary considering the ESQ's on-board editing capabilities.

An aside to Ensoniq: PLEASE make your updates available to major developers in a timely manner. As I wrote this, there were rumors about compatibility problems between ES1 and ESQ V3.5 software, and with the many ESQ updates, software developers have to deal with any new compatibility problems that arise. My copy of ES1 ran with ESQ V3.5 software, and there were no significant problems. [Ed. - If you've been following *The Interface and Front Panel*, you know this has all been cleared up.]

The 12 Bank Librarian

As mentioned, up to 12 banks of ESQ programs can be loaded into the C-64 individually from disk or ESQ, then saved/transmitted to either. Banks are called up by pressing the corresponding key (A-L) on the 64, and the banks can be given names of up to 15 characters. A maximum of 39 banks (1560 programs) can be saved on a disk. Using a one-program buffer, individual programs can be transmitted to or received

from the ESQ. In the latter case, the program can be written from the buffer to any position in banks A-L, allowing you to create customized banks. Unfortunately, it is not possible to load 12 banks in one disk operation. Doubtless this is because of the scant memory remaining after 48K has been reserved for bank data alone, but this time-saving feature would be worth squeezing into a future update.

The 3-Bank/Sequence Librarian

This portion of the package allows the 64 to transmit, receive and save voice banks, single sequences, or all sequence data in a manner similar to that described above. With the bank/sequence utility, a particular bank and sequence (or sequences) meant to be used together can be saved with related names and recalled together, avoiding the "surprises" one gets when loading sequences and having them pointing to unintended voice programs. In addition to the sequence capabilities, up to 3 banks of voice programs can be manipulated. The sequences are handled either one at a time or in bulk, the latter including all song information as well. Cassette users will recognize this as the same procedure used by the ESQ for cassette storage, but the ES1 provides the much greater speed and reliability available from a computer-based system. Since the ESQ doesn't allow you to name sequences (unless you make a one-sequence song), it's nice to be able to do that here.

It's a pity that this is not a patch/sequence/SONG librarian, as the latter capability is missed. One of the ESQ's outstanding features is its ability to chain sequences together into songs, but the ES1 has no provision for dealing with these individually. For example, if you wanted to load up your sequencer with a different set of songs each week for a gig, it would have to be done a sequence at a time. I would have preferred sacrificing a voice bank to provide the extra memory necessary to include song capabilities, but another problem (according to Valhala) was getting the necessary specs from Ensoniq to include this feature.

Warning: Like Sound File, ES1 was designed with the 10,000 note expander in mind. ES1 will work with the 20,000 note expander unless you try to "save all sequences" and more than 32k (half the larger expander's capacity) has been used. I had 43k of data in memory and attempted an all-sequence dump to ES1 and the program crashed.

User Interface

The ES1 package could hardly be easier to use. Most functions are single keypress operations, and are very fast. Even the

speed of the nybble-sized MIDI transfer used by the ESQ is not bad. I appreciate the fact that the keypress approach has been used in favor of the Mac-like one used in Sound File and others (which a former colleague of mine calls the "bonehead" approach), since pressing keys clearly indicated on a screen is quicker and easier than multiple operations with a mouse or joystick. The only real typing involved is for naming banks or sequences, (likewise for mouse driven programs), and if this bothers you, use one character names! One suggested improvement would be a toggle which allows verify (the many Y/N? pauses) to be disabled, for users who become comfortable with ES1.

Disk Operations

Again, ease of use was emphasized here, and most of the operations are executed by pressing function keys on the 64. Banks or sequences can be loaded either from a directory, or the old-fashioned way of typing a file name. Curiously, ES1 saves all files as USR (instead of the usual PRG) files, but otherwise the format is very similar to the one used by Sound File, and files from that program should be easy to convert. A short program for such conversions would be a welcome addition to this package.

I don't have to remind you of the 1541 drive's slow speed, which is a nuisance when transferring the large amounts of ESQ data that can accumulate. Happily, ES1 is compatible with at least some disk accelerators. Fast Load works (if you have a cartridge expander that allows multiple cartridge use, such as the Aprospan), as does Digi-Dos, and presumably similar hardware mods which allow parallel 64-to-1541 communication.

Conclusions

ES1 is an excellent package with only a few shortcomings. The inability to manipulate song files is the main thing that keeps it from being the "ultimate storage program" for this hardware combination. However, it's a terrific value; now that Valhala is doing their own manufacturing, they have been able to lower the price from \$99 to the current \$65. ES1 proves that even a "dinosaur" like the C-64 can be more than adequate for purposes such as this when the software is intelligently written.

Bio: Wayne Dooley configured, maintained, and taught classes related to the electronic music studio at Shenandoah Conservatory in Winchester, VA. Currently he lives, teaches and writes near Orlando, FL. ■

ESQ-Tips All About Modulation

by Jim Johnson

Synthesis is a very complex and esoteric discipline. To become REALLY well versed in it, you need a good understanding of music, acoustics, electronics, and mathematics - and then, you'll be ready to start learning the specific details of all the different instruments that are out there. Fortunately for most musicians, there's no need to become an expert at synthesis in order to coax music out of a synthesizer - factory presets, third party sounds, or sounds you've created on your own through trial and error are just as musically valid as sounds created following days of research and many hours of programming, as long as you can find a good use for each sound. Still, increased understanding of the synthesis methods used by your synth is always helpful, so it's a good idea to learn what all those words that pop up in the ESQ's fluorescent display mean.

One subject that many musicians seem to have problems with is modulation. This is really no surprise, since the term is used in many seemingly unrelated ways, and few manufacturers stress the importance of modulation in their advertising. (When was the last time you heard a synth salesman say "Check out this baby's modulation capabilities"?) In this article, I'll try and shed some light on the mysteries of modulation, and why it's so important in synth programming.

The word "modulate" means "to change", and "modulation" is the act of changing. In synthesizer lingo, the term modulation is used in two ways: first, to describe a relatively slow change in some parameter, and second, as part of the terms "frequency modulation" (abbreviated FM) and "amplitude modulation" (AM), which describe two different methods of combining audio signals to produce complex sounds. While both usages of "modulation" mean the same thing in the strictest physical terms, the musical effects are quite different, so most

synthesists use the term "modulation" only when they are describing slow changes, and use the terms "FM" or "AM" to describe the other phenomenon.

So - modulation is changes. If you want to understand why modulation is so important in synthesis, just try and imagine what your synthesizer would sound like if there were no changes in the sound. For a concrete example of this, call up the ESQ-1's BASIC patch (from the original set of factory sounds, if you've still got 'em) and press any key. Hold the key down until you can't stand it any longer. See what I mean? A sound without changes is BORING - it's not musical. No matter what waveshape you use, if it just sits there, it's not musically useful. That's why modulation is the most important element in synthesis. Another example of this is the DX-7, which was the synth that really took synthesis out of the hands of knob-crazy nerds like me and put it in the hands of zillions of piano players. A lot of people think that FM was the DX's big breakthrough, but that's just marketing hype - the real reason was the instrument's velocity and pressure sensitive keyboard, which could be used to modulate many of the parameters of FM synthesis, along with the six envelope generators per voice. If a synth manufacturer had bothered to put those features in an analog synth before Yamaha did it, the history of music in the 80's would have been completely different..... but I digress.

Modulation in a synthesizer (or "sampling synthesizer", like the Mirage) is accomplished with a number of different devices within the synthesizer itself. But rather than discuss all the modulators in the ESQ-1, let's choose a much simpler device, a car, and discuss how modulation is used there. Whereas a synthesizer produces sound as its output, a car produces motion. Sounds can have many different parameters, but motion has only two - speed and direction. The car's steering

wheel modulates direction, and the gas pedal, brakes, clutch, and gear shift are all used to modulate speed. To simplify things even further, let's forget about direction, and let's further assume that the car has no brakes, clutch, or shift, and that the car's speed is directly proportional to how far the gas pedal is depressed. This means that if you press the gas pedal all the way to the floor, the car will instantly jump to its maximum speed, and if you release the pedal, it will immediately stop. (Admittedly, this is a fantasy vehicle, but it's no more outrageous than the "frictionless surface" or the "point sound source" used by physicists when analyzing complex problems.)

This situation - a single modulator controlling a single parameter - is simple enough to illustrate the basic concept of modulation, but it doesn't really say much about how it works in a synthesizer. Since we've already redesigned the automobile to suit our needs, let's imagine that the car has four gas pedals (one for each seat), and that if all four are pressed to the floor, the car will run four times as fast as it would if only one were pressed. Let's further imagine that in the seat beside the driver is a 14 year old with a Walkman playing Def Leppard. Of course, the kid will be tapping his foot to the music, and if that foot is on the gas pedal, the car will speed up and slow down in time to the music. If you reach over and turn the music up, the kid gets more excited, and he pumps his foot harder, which directly affects the speed of the car. If you replace the Def Leppard tape with a Meat Puppets album, his foot will pump faster, and the repetitive "lurch" in the car's motion will be faster.

Now imagine that your grandmother is in the back seat. She's dozing, but any time you shout "Hey, Granny!" she jerks awake for a moment. Her foot is on a gas pedal too, so when you shout, the car's speed shoots way up for an instant, then gradually returns to normal as she calms down and releases the tension in her leg. The fourth gas pedal, which hasn't been used up to this point, is an "unused input", which you can use for whatever purpose you need. For example, if you want a more complex "lurching" motion, you could bring along another kid, perhaps with a rap music tape. In fact, by changing your passenger list, you could tailor the speed modulation functions as needed for each trip.

If you're a truly artistic driver, you'll learn how to coordinate these effects for the greatest benefit. You might shout to Granny if you need an extra burst of speed, perhaps to catch a small animal crossing the road, or you might turn Junior's music up if you need to shake an ax murderer off the roof. (Yes, I know, the analogy is wearing thin, but I'm committed to it now.)

Back to reality. As you may have guessed, each of these elements represents a portion of a synthesizer. Junior would be called an LFO (low frequency oscillator), since he is the source of a repeating signal of varying frequency (speed) and amplitude (volume). Granny is an envelope generator, since she produces a transient signal, or envelope, each time she receives a trigger (your voice). Your own foot represents a keyboard, or perhaps a wheel, foot pedal, or some other manual controller. There are, however, two important differences between the automobile in this example and the synthesizer. First off, the car only has one parameter which can be modulated by the gas pedals (speed), whereas with a synth, several parameters can be modulated simultaneously. If our car were designed like the ESQ-1, you'd be able to use Junior's gas pedal to control the antenna height while he controls the car's speed, or you could re-connect Granny's pedal so that the door locks all pop up when she wakes up. There's no real reason to do this type of thing with a car, of course, but there are lots of good uses for it in synthesis, such

as making a sound become a little brighter as it gets louder, or introducing more "growl" in the sound as you play higher notes on the keyboard.

The other important difference is that, with a synthesizer, many of the modulators themselves can be controlled by other modulators. For example, in the ESQ-1, the output level of an LFO can be controlled by any other modulator in the system, and the attack time (T1) and amplitude of the envelopes can be controlled by velocity. This allows you to create very complex changes in the sound, where a change in your performance technique produces a change in the changes in the sound, rather than a simple change.

I realize that I didn't give any concrete examples of how modulation is used in the ESQ-1, or the best ways to use it, but that was not my goal. If you now have a better understanding of what modulation is you'll be better prepared to make use of the material presented in the ESQ-1 Owner's Manual on the subject. Good luck, and happy modulating!



Bio: Jim Johnson, an electrical engineer, has played synths in several Phoenix, AZ bands. He's written for Electronic Musician, KCS, and co-wrote Dr. T's Algorithmic Composer package. He is owner of JAMOS Music, a MIDI programming and consulting firm.

"If you like adventure and the excitement of exploration, then stop reading this review and order as many sounds as you can afford from SOFTWARE."

Chris Barth, Transonic Hacker Review

MIRAGE AND DPX-1

50 DISK LIBRARY	
INDIVIDUAL DISKS -	\$7.50
10 DISK SET -	\$60.00
50 DISK SET -	\$225.00

ESQ-1 SQ-80

THE "WORX" 1760 SOUNDS

(44 SOUND SETS OF 40)

Formats Available: SQ-80 Disk, IGUANA Disk, MAC (BLANK Software), Commodore (BLANK Software & MUSIC DIRECT)

NOW ONLY \$59.95 for 1760 SOUNDS

Send for our free catalog.

Referrals available upon request.

8402 Clover Hill Loop, Bayonet Point, FL 34667
(813) 862-6032

TR505, TR707, & JX3P; ESQ-1, SQ-80, & Mirage; DX100/21/27/27S; Macintosh; EMAX; and The Worx are trademarks of Roland Corp.; Ensoniq Corp.; Yamaha International Corp.; Apple Computer, Inc.; E-MU Systems, Inc.; and Softworx MIDI Systems, respectively.



"SETTING THE STANDARDS"

Libraries also available for the following: Roland JX3P, Roland TR505, Roland TR707, Yamaha DX100/21/27/27S and Emax. Also 1000 Sound Cassette Sampler.

The Ensoniq EPDM Drum Machine

by Garth Hjelte

I've got an alternative name for my EPS. I call it the EPDM - the Ensoniq Performance Drum Machine. On this instrument Ensoniq has designed in certain features that make it highly desirable for percussion sequencing.

THE SAMPLER

Most basically the EPDM is a 13-bit (A to D) sampler capable of storing 127 waves at a time. With expanded memory, you can access several set-ups at once. One application could be always having drums on board while using the other slots for melodic instruments. Even with the basic memory, there's enough room for a basic kit plus some extras. As far as sampling quality goes, the EPDM has been compared to the likes of the Akai S900 and the Prophet 2000, so that really reflects the kind of drum sounds you'll be able to get. Personally, I'm blown away by the clarity of the machine. Being a former Mirage owner, I really appreciate it.

THE OUTPUT EXPANDER

Although the basic EPDM doesn't offer additional outputs, Ensoniq has offered a unit as an option. Well, \$249 isn't that much. Anyway, different processing for each kit-instrument is essential in much of today's music. Common techniques include giving the snare an explosion effect, reverse-gate for the kick, and plenty of stereo spread for the toms and percussion. Or even digital delay on the toms for that "double drummer" effect. The output expander isolates each drum separately so you can specialize effects on each sound. And since the EPDM still keeps the main outs active, you can use the expander just for drums and let the stereo outs handle everything else.

THE SEQUENCER

This is a hot sequencer and very easy to use. You can build songs with 80 different sequences with velocity, polyphonic aftertouch, and all the other usual stuff. But what makes it so hot is the fact that the EPDM was designed with a lot of the special editing features you can only find in PC computer-type sequencers. So for ease of explanation, I'll describe a typical drum-composing session to show how each editing tidbit applies to what you can do.

Take a drum kit instrument (such as Drum Kit 1 or Power Drums) and copy it to about five locations on the instrument panel. The original will serve as the kick track; the second, the snare; third, closed and open hi-hat; fourth, toms; and fifth, cymbals and miscellaneous percussion. Next, play a kick-snare pattern on the kick track. Once that's to your liking, move on to the other tracks besides the snare track (you'll see why in a second) and add the other feature. This loops the sequence while keeping the sequencer on RECORD. This way you can really get into the feel of the track. Once everything is laid down, go back to the kick track and copy its sequence data to the snare track. Now the goal is to erase the kick data from the snare track and the snare data from the kick track. This is done using EDIT KEY RANGE function. It lets you remove any range of note (i.e. MIDI note numbers) out of all or just a portion of a sequence. Simply edit the kick and snare note numbers out of each respective track. One quick suggestion: standardize where you put your drums. In other words, always put kicks in the same octave of the keyboard, snares in the next octave, etc. Just be consistent so you'll always know what to edit when you edit. Put snares close to

the kicks, though, because very often you play them in combination.

About quantizing: I usually quantize the kick track or at least part of it to give the pattern some kind of exact reference. Also, I usually treat the snare to the same thing, and then shift clocks forward or backward. Which leads us to the next sub-heading!

SHIFTING CLOCKS

Okay, so what's shifting clocks? Shifting clocks means placing something you've recorded ahead or behind in time where you originally placed it. With my ESQ or even REX (my RX-11), I either taped in my parts or had a drummer play it. Afterwards I usually quantized, mainly because the "live" feel usually seemed so sloppy to me compared to the quantized version. As a result, of course, I paid the price of mechanical-sounding percussion. Consider shifting clocks as a better option. To explain - there's a critical relationship between a kick drum and snare in a rhythm pattern. Given a constant meter dictated by the kick, if the snare is slightly ahead of the beat on a consistent basis, it gives the effect of "driving". If it is consistently behind, it is said to be in the pocket or the groove. Of course, if the effect is exaggerated either way, the music will feel like it's either rushing or dragging.

To simulate this with the EPDM, first record a drum pattern. The only prerequisite is that you put the snare on a separate track. Once you've done that, step to the COMMAND-TRACK page and press forward until you see SHIFT TRACK BY CLOCKS. Press YES (have your OS on hand). It will then ask you which track you want to shift - in our case the snare track, the shift amount (it ranges from + - 48 clocks), and how many bars you want affected. Press YES again, and VIOLA! your track has been shifted.

As you'll find out, just the simple act of moving the snare usually six or seven clocks makes a big difference in a pattern. The machine aspect becomes almost transparent and the feel becomes much more natural.

Although there are many other uses for clock-shifting, the snare-kick relationship is the most immediate and simple application. For more interesting reading, an excellent treatment can be found in an article titled "The Feel Factor", printed in Electronic Musician (Oct '87 pp. 57-65), by Michael Stewart, the guy who came up with the Human Clock (which, just as a matter of record, saved my can on one occasion because my ESQ sync signal failed).

WHEN YOU WISH UPON AN EPDM

The only thing I'd like to see now is alternate quantizing functions. That would go a long way toward "de-exactizing" drum patterns. I'd also like to see someone come out with a MIDI velocity-sensitive fingerpad controller. Playing drums on piano keyboards isn't too much fun.

BIO: Garth Hjelte lives in Seattle and is a partner in Advent Productions, a huge multinational conglomerate specializing in MIDI consultation, production, system design, and potato peeling equipment. He spends most of his time trying to explain to little kids he's not Weird Al.

- And Yet Another Look At Using The EPS As A Drum Machine

by Steven Fox

One of the first things I attempted to sample on my EPS was my Alesis HR-16 drum machine. If you own one of these already, or if you've ever heard it, you know that it has some really cool drum sounds, and Alesis' combination of 16 bit samples at a sample rate of 48k makes it a really hot sounding drum machine.

Now you might be asking, "If you own an HR-16 already, why bother sampling it?". Good question. I suppose I initially wanted to prove to myself just how well the EPS could reproduce the same sounds. By doing so I also learned a few tricks that would apply to any drum machine one might want to sample. I won't be going into detail about how to sample a drum machine in this article since it's essentially the same as sampling any other instrument.

One obvious thing you can do when sampling a drum machine is you can make it indefinitely repeat a single drum sound at a consistent level making it easy to set up levels and sampling rates. Record a pattern with just a single strike of the drum sound you want to sample and start the drum machine in pattern mode. Adjust the tempo so you have a good amount of space between each strike and you're all set.

After making some samples I discovered that besides being able to adjust the panning and level of each drum sound (which can already be done with the drum machine) the EPS allows you to process the sounds in a number of new ways. There's pitch bend, micro tuning, LFO's to modulate - just about anything. Try radically different amplitude envelopes, filter envelopes, pitch envelopes. Crossfade sounds, stack sounds, or randomly pan them. Try using attack velocity to add varying amounts of pitch change to each new note. The possibilities are endless.

But before I really explored any of these tricks, I wanted to make the EPS simulate the drum machine exactly. And this is where I came across a problem. My drum machine, like many other drum machines, has three special pads which cut one another off. These pads are normally assigned to the hi-hat sounds because when you play a closed hi-hat you normally want to cut off an open hi-hat sound. Otherwise you would have two different hi-hat sounds playing at the same time, which results in some pretty ungroovy lines.

What I needed was a keyboard mono mode, like the Mirage has. But since the EPS doesn't exactly have this, I instead tried playing with the amplitude envelopes, which only resulted in getting hi-hats that cut off all the time whether another hi-hat followed or not. Finally, I came up with a solution.

First, I copied just the four hi-hat samples (closed, half open, open, foot closed) to a new layer, in this case LAYER 2. Then, editing LAYER 2 only, I changed the LAYER GLIDEMODE from OFF to PEDAL. I also made sure the LAYER GLIDETIME=0 and LEGATO LAYER=2. Now, when playing the keyboard, since only the hi-hat samples in LAYER 2 were affected by the edit, all the drums could play simultaneously, and as long as I kept the sustain pedal depressed, the hi-hat samples would cut one another off, just like the drum machine. Now I can play all those groovy hi-hat lines just like on my drum machine. And as an added bonus, playing with the

sustain pedal depressed makes multiple cymbal crashes play over one another just like the HR-16 does.

In the end I think I will still use the drum machine itself rather than the EPS sampled version, at least as long as I still have the HR-16. But my friends who don't have one love these samples. And, of course, these same techniques can be applied when sampling other drum machines. Anyone got an '808?



BIO: Steven Fox is 23, programs software as a hobby and then sells it to make a living. He still is looking for a proper job, although that offer off the coast of Africa did sound tempting. Any more offers???

TECHNOSIS

Discover the ESQ Proselect Patches!

Introducing the eighty hottest sounds around! TECHNOSIS heard the rest, then created the best! Check it out: The MOST MUSICAL synthetic and acoustic pianos, DX's, basses, pads, clavs, brass, Hammonds, leads, bells, vibes, winds, choirs, percussion, and analog patches EVER for the ESQ. 74 hot keyboard patches, 5 percussion, and THE FLY! A complete arsenal of professional-level sounds! And best yet- satisfaction is guaranteed! Call today for information!!

THE ESQ PROSELECT PATCHES:

- Data Cassette: \$27.50
- ROM Cartridge: \$37.50
- EEPROM Cartridge: \$57.50
- 160 Voice RAM Cart: \$87.50

THE SQ-80 MASTERPATCHES:

- 80 Voice Diskette: \$27.50
- Masterpatches + Proselects: \$52.50

**All prices are postpaid.*

TECHNOSIS-3960 Laurel Cyn. Blvd., #353, Studio City, CA., 91604-3791. (213) 656-3515!!

Visions of Hot Air

Using the Yamaha WX7 with the Ensoniq Mirage

by Philip Rosine

Since synthesizers and samplers first appeared it has probably been every horn player's dream to be able to get in on the action. Not all of us will admit it, but we've been dreaming. Some of us even broke down and acquired some rudimentary keyboard skills just to try it out. Sampling instruments like the Mirage gave us better (read "more realistic") sounds than we could get from straight synthesis, but the feel just wasn't there. The total involvement of body and soul that you get from a wind instrument never seems to happen with a keyboard. Well, sports fans and gentle readers, the time has come. You closet horn players can join the electronic revolution.

Actually, wind synths have been around for a while, but not within reach of the average musician. The breakthrough is that Yamaha recently introduced the WX7 MIDI Wind Controller. Unlike the Lyricon and other electronic instruments for wind players, the WX7 does not produce any sound of its own. It must be connected to a MIDI sound source to be usable. Of course, since it was invented by Yamaha it works exceptionally well with some of the Yamaha synths, but it is also a marvelous device when attached to other instruments such as the Mirage. And there is something poetic about using the Mirage with a wind controller: mirages are caused by hot air.

The WX7 looks a lot like a clarinet designed by a cubist painter. It is a quality instrument, and comes with its own hard case and MIDI cables. Visually it is very interesting, but obviously not a traditional instrument. The mouthpiece and fingering are very much like a saxophone, but the machine is both easier and harder to play than a sax. The mouthpiece has a plastic "reed" which allows pitch bends under lip control, but does not require the technique of a true woodwind since there is no sound produced by the "reed". In other words, it is not possible to squeak and squawk. The fingering is almost identical to a sax with two exceptions: there are alternate fingerings for notes which allow almost two octaves to be played without using the octave shift keys, and there are five (!) octave keys. The overall range of the instrument is 103 notes -- over 7 octaves, more than the range of the standard Mirage. The WX7 will hold notes so you can play chords, and it will transmit on two MIDI channels (1 & 2, or 3 & 4) so you can control several MIDI instruments. I suggest you see your Yamaha dealer for more information.

There have been a number of letters in the Hacker about how to make the WX7 work with the Mirage, and I am going to attempt to blow away (pun intended) some of the fog. First off, let's admit that the Mirage was not designed to be used with a wind controller. However, that doesn't prevent it being used with one. In fact, it works amazingly well. There are two ways to go about it:

- 1) You can use Ensoniq OS 3.2 and use the WX7 to send key velocity information, playing the Mirage much like a keyboard.
- 2) You can get the Super-MIDI OS disk from Creative Concepts and play the Mirage directly as a wind instrument. Both of these techniques work, but the second has some real advantages.

Using OS 3.2

The standard Mirage operating system (OS 3.2) allows the amplitude envelope to be controlled only through key velocity and key release sensitivity. The WX7 cannot provide release data, but it can send key velocity data based upon how hard

you blow into the WX7. If the voice you wish to play on the Mirage is velocity sensitive it will react to the WX7. The Mirage will also allow breath control information to act as the LFO modulation source (parameter #78) and as the mix modulation source (parameter #79).

I find that using OS 3.2 well takes some practice since a note's amplitude is only sensitive to the pressure of the breath at the instant of being played. You cannot "swell" a note; in order to increase the volume you must reattack the note. Getting a loud attack on a note requires very accurate tonguing, and may take some practice. If you slur a phrase, you can increase or decrease the volume of succeeding notes with ease, but cleanly articulated phrases are more difficult. Using OS 3.2 is most effective for percussive (piano, drums, etc.) or plucked (bass, violin) voices. It does not (to me) sound very realistic for traditional wind voices.

To use a breath controller for LFO or mix modulation, you must set the appropriate parameters (#78 and/or #79) to 02. The current setting is probably 01, which is the mod wheel. Using the WX7 to control the LFO or the mix modulation may be effective for some voices, but I find it extremely difficult to control. You cannot effectively control both volume and LFO (or mix) at the same time. In addition, my opinion is that these parameters must be used judiciously and with care, thus limiting the usefulness of these controls with the WX7.

Super-MIDI OS

I personally prefer to use Dick Lord's Super-MIDI operating system for playing the Mirage and the WX7. Super-MIDI allows you to select the MIDI device you wish to control volume on the Mirage. You can set different devices for the upper and lower programs, which can be useful if you have a keyboard sequence in one program which needs to play while you use the WX7 for the voice in the other program.

The instructions with the Super-MIDI disk are pretty good, but here are some details. For use with the WX7 you want to have MIDI device 02, the breath controller, handle MIDI volume. After you boot from the Super-MIDI disk parameter #76 handles the lower program volume and #77 the upper program volume. If you intend to use the WX7 on both halves, enter 76 and press the value key. The display will read 07, the standard main volume controller (the keyboard). Use the down arrow to change the parameter value to 02. Repeat this for parameter #77. Now when you play the WX7 the volume of the voice will follow your breath very much like a "real" wind instrument.

You may wish to save these settings on your Super-MIDI disk. To do so, take the disk out and switch the write protect off (the little hole should be closed). Then enter 14 (save configuration parameters) on the keypad; the display will flash SP; press enter. The disk will run for a second, and the parameters are saved. Switch the write protect back on for the disk.

Program Changes

The WX7 allows the player to select five different programs using keys on the controller. With the Mirage this means loading different voices from the disk. The following table defines what happens when you select programs 1-5 from the WX7:

Program	Mirage Action
1	Load upper/lower sound 1, program 1
2	Load upper/lower sound 2, program 1
3	Load upper/lower sound 3, program 1
4	Load upper/lower sound 1, program 2
5	Load upper/lower sound 2, program 2

As you can see, you may need to rearrange your sounds and programs to build disks containing the correct items for loading using the WX7. Remember, for live performance, it's going to take some time to load.

You may wish to set the Mirage to not respond to program changes, particularly if you work with other synths and want to send program changes while playing. Parameter #84 sets this, but some of the Mirage user's manuals do not describe this parameter correctly (it was a change with OS 3.2). It sets the type of MIDI data the Mirage will recognize. The values for parameter #84 are as follows:

- 01 Note On/Off.
- 02 plus Mod Wheel & valid controller changes.
- 03 plus Program Changes.
- 04 Program Changes only if followed by MIDI <yes>.

The default setting is 03, so you may wish to change it. This can be saved using #14, Save Configuration Parameters.

Performance Notes

I like to layer sounds using the Mirage with other synths. The WX7 will transmit on two MIDI channels (either 1 & 2, or 3 & 4), and can hold notes on the second channel (2 or 4) while playing a lead line on the other channel (1 or 2). This is a lot of fun, but takes some care to get all the MIDI parameters set correctly. You must have OMNI mode set OFF (parameter #81), and the instrument set to the correct MIDI channel

(parameter #82). Note that the Mirage is set to OMNI ON when it powers up, so you will have to set parameter #81 each time you turn the machine on.


When working with other synths, you need to remember that the standard keyboard Mirage only plays 61 of the 128 possible MIDI notes. The WX7 will play 103 notes. What the Mirage does is duplicate the upper and lower octaves when it receives notes outside its range, i.e., as you play down the scale with the WX7, the lowest octave will repeat, and the same for the highest octave as you play up the scale. Other synths may not do this. This should not cause any real problems; it's just that the harmony shifts by an octave.

Getting your attack correct with the WX7 takes some time. There are two curves of breath to volume ratio available on the WX. I find that the exponential response curve works best for me (setup switch #7 ON). You may need to experiment with this. Some experimentation is also needed to set the wind and lip sensors properly. Once you get these things set to your satisfaction, the settings seem to work well with all synths (at least the ones I've tried).

Have fun and happy tooting. I will be happy to attempt to answer questions about the WX7 and the Mirage. I can't claim to have tried everything or to have all the answers, but I'm always willing to attempt some new tricks.

Bio: Philip Rosine is "by nature an iconoclast, by training a Forester and Software Engineer, by vocation a Programmer/Analyst, and only by avocation a musician." He's been doing music longer than the others (except for the iconoclast part), and currently has a Mirage, a DX100, a TX81Z, and assorted other toys in his studio (living room) where he is also known to play an occasional "real instrument" like the sax or flute. ■

Turbo-Charge Your MIRAGE™



The Powerful New MIRAGE™ Super-MIDI Disk

MIDI volume controllers for upper and lower
Assignable for each sound program and saved on disk

Use with the new MIDI wind instruments

Sostenuto pedal - MIDI or using sustain pedal

All controller inputs and outputs assignable

Separate MIDI transmit / receive channels

Single button program stepping "All notes off" PANIC button

Optional MIDI controllers to Local ±2 Octave pitch transpose

MIDI Overflow mode for 16 note polyphony

--- all this and more ---

SM-1 Super-MIDI Disk \$39.95 + \$2.50 Shpg.

The Mirage Disk that Electronic Musician
rated five-star in their review

The Mirage Multi-Temperament Disk
14 Historic 12-tone Temperaments
24 Note Transpose

"I've never had so much fun with a single Mirage disk ever"
- Don Stepien, TRANSONIQ HACKER, March '87 #21

MT-1 Multi-Temperament Disk \$29.95 + 2.50 shpg



Micro-Tonal Scales

Wendy Carlos' Alpha, Beta, Gamma

Create your own - Save them on disk

UD-1 for Mirage™ \$39.95 + 2.50 shpg.

Hack Your Own OS

Use your computer to make your own version

OS-1 Monitor Disk \$39.95 + 2.50 shpg

NEW versions of Ensoniq's 3.2 operating system from Dick Lord - UPWARD CONCEPTS

VISA (603) 659-2721 MC

Bennett Rd., Durham, NH 03824

**The road to MIDI hell
is paved with
half-done “workstations”**



The Ensoniq EPS . . .

where sampling, recording, mixing and control



The Ensoniq Performance Sampler is what a *true* workstation is all about — a complete instrument for writing, recording, studio control and performing.

The EPS puts a world of innovative features at your fingertips. Its advanced technology and dozens of "Smart MIDI" features let you do things that just can't be done any other way.

You can record *and mix* an entire composition on the EPS. The on-board sequencer is so advanced, it's like having an automated 8-channel mixer and 16-track recorder controlling internal voices and external MIDI gear. There's also a built-in disk drive to store sounds, songs and Sys Ex data.

Expert system technology puts sampling to work

With sample rates of up to 52.1kHz and a 96dB dynamic range, your sampled sounds are crisp, clear and lifelike. The "expert system" loop and edit processing uses artificial intelligence technology to let you quickly and easily put sampling to work for you.

Creative, professional quality sampling is nearly automatic with the EPS. Automatic multi-sampling and automatic volume smoothing make it simple to map complicated sounds across the keyboard. Internal sample rate conversion helps you manage the memory. There's even a choice of 5 different types of crossfade loops.

Poly-Key™ and Patch Select™ for expressive realism


When it comes to creative voice architecture, the EPS has no match. Each voice has three 20-parameter envelopes, two multi-mode digital filters and its own LFO. The 20 voices can be layered up to 8 deep and can be dynamically switched or crossfaded with the Ensoniq exclusive Poly-Key keyboard or Patch Select buttons.

The EPS comes complete with the 13 essential sounds that you need for composing or performing, including: piano, brass, strings, sax, bass, vocals, drums, synth and electric and acoustic guitars. Each sound is specially designed to take particular advantage of Poly-Key and Patch Select.

The sequencer that goes beyond multi-tracking

Ensoniq pioneered the on-board sequencer concept with innovative features like dynamic voice allocation. The EPS sequencer is the most powerful ever put in any keyboard, with features like an 80,000 note memory, the ability to time-shift individual tracks one clock at a time and an audition page that lets you compare old and new versions of every edit and punch-in.

the complete workstation put you on the fast track to creative freedom



The exclusive "Song Tracks" feature doubles the capability of the 8-track sequencer. Put your sequences together into a song, and the EPS sequencer lets you create 8 additional song-length tracks giving you 16-track recording ability.

MIDI Auto Mix makes the EPS a complete controller

The EPS can be an *automated* mixer. The sequencer has an exclusive new MIDI Auto Mix feature that remembers all the volume fades — up or down — anywhere in the song. MIDI Auto Mix can control the internal instruments or external MIDI modules.

The EPS handles all the MIDI modes with ease — especially the powerful Multi Mode that gives you simultaneous 8-channel MIDI communication. The EPS lets you instantly split, stack and transpose up to 8 separate MIDI instruments. This flexibility and the ability to save and load Sys Ex data make the EPS an ideal central controller for any studio.

Expand your EPS memory and outputs

The Ensoniq ME-1A memory expander doubles the internal memory and permits installation of an optional SCSI port. Connect a SCSI hard disk for blink-of-an-eye access (256Kbytes in under a second) to hundreds of sounds. Or connect the EPS directly to a computer to unleash the power of sound development programs like Alchemy, Turbosynth and Sound Designer.

Using external mixers or signal processors to their fullest is easy with the OEX-8 output expander. It gives the EPS 10 discrete and fully-programmable outputs. The OEX lets each instrument be assigned to its own output jack, no matter how many voices it uses.

The technology that performs for you

At Ensoniq, innovative technology and product quality are founding principles. The industry chose Ensoniq as the Most Innovative Keyboards for the past two years running. The EPS continues the tradition. Sample an EPS for yourself and see what its advanced technology can do for your music. Only at your Authorized Ensoniq Dealer.

For more information and the name of your nearest Ensoniq dealer, call toll free: 1-800-553-5151.

ensoniq®

THE TECHNOLOGY THAT PERFORMS

**Sample an EPS... the complete workstation.
See your Ensoniq dealer for a
free two-day road test**



Take an Ensoniq Performance Sampler home for a free two day road test, compliments of your participating Ensoniq dealer. See for yourself how the EPS, with its advanced sampling, recording, mixing and control features can put you on the fast track to creative freedom.

You'll discover an instrument that can do nearly anything with sound — better, faster and with more expression than any other keyboard you've used. The EPS Sound Library sparkles with realism and character. "Expert system" auto-looping simplifies sampling. The on-board sequencer is so advanced, it's like having an automated 8-channel mixer and 16-track recorder built right into your instrument.

Ask your authorized Ensoniq dealer for an EPS Road Test. He'll send you home with a fully-equipped demo unit and an Audio Tour Package that will show you how the EPS can help you make better music. For more information and the name of your nearest authorized Ensoniq dealer call toll free: 1-800-553-5151.



ensoniq®

THE TECHNOLOGY THAT PERFORMS

THE LUSH DISK

New sounds for the SoundProcess Operating System for the Mirage

Reviewed by Steven Fox

FOR: Mirage and SoundProcess.
PRODUCT: The Lush Disk.
PRICE: \$15.00.
FROM: Bob Spencer, #11 Warren Dr., Granite Falls, NC 28630.

I'm trying to figure out how to classify this disk. For example, a small list of developers you read about in the Hacker might include Triton, Leaping Lizards, Upward Concepts, Valhala, and Cesium. While they all produce different types of products for a variety of Ensoniq keyboards, they all are classified as "third-party developers".

Now take Bob "Lush" Spencer's new disk, the Lush Disk. This disk includes 122 new patches for the SoundProcess operating system. Since SoundProcess is a "third-party" product, does this make the Lush Disk a "fourth-party" product? I'm not sure, but I think it might be. Whatever you want to call it, this unassuming little disk is certainly worth mentioning.

The Lush Disk consists of three files full of new waves and wavesamples for the SoundProcess operating system. If you are unfamiliar with SoundProcess, it essentially turns your Mirage into a synthesizer, giving you four oscillators per voice (unlike two with the normal Mirage, or three with an ESQ or SQ-80), multi-timbral control over all 16 MIDI channels, and unlike the ROM waveforms in the ESQ or SQ-80, you can load in new waves and wavesamples from disk to create completely new sounds.

The three files, named "TOP 40", "FUSION", and "ORCHETHNA" each come complete with 48 new patches and 32 new programs. Compare that to Triton's own Sound Disk #1 which comes with only two files, one with only 30 programs and the other with only five.

The sounds themselves are pretty good. I particularly like the basses and organs. Most of the waves and wavesamples are Bob's own samples, while a few are "borrowed" from familiar Ensoniq Mirage factory disks. I would argue that there is a place for both original samples as well as borrowed samples on SoundProcess sound disks. Often times I WANT to use a familiar sound with SoundProcess that otherwise is only available in the usual Ensoniq 3.2 format. It's nice to already have some of my favorite Mirage sounds converted over to SoundProcess, rather than do it myself.

The patch parameters on many of these sounds could still use a bit of work, in particular the filter settings on some are set too high or too low causing distortion and aliasing. This was due to the fact that the patches were originally programmed on an old unmodified Mirage with the old filters. This apparently has already been taken care of since Bob has now announced a revised version with the filter settings for the newer Mirages.

I found only three programs on the entire disk that I didn't like at all. While about a third of the programs I didn't find particularly exciting or useful for my own particular tastes, the other two thirds or so I found quite inspiring. Several of the programs demonstrated some of the unique features of SoundProcess which I had never heard before.

The documentation consists of only a couple photocopied

pages describing each of the 32 programs. Many of the names could be described as esoteric; seemingly having no relation to the actual sound, although some are quite amusing, "CLAVICLE", "EGG BASS - HAM & ORGAN", "LOUNGE LIZARD". Several of the program names also give you tips on how to best use the particular sound in performance. The only thing I missed is a chart describing all the waves and wavesamples, such as Triton has done.

Overall, the amount of good, new sounds you get on this disk is well worth the 15 bucks. It's obvious that Bob Spencer has put a lot of work into this disk. He's already got a whole new disk planned for release shortly. But even with just this one I've got enough good sounds to keep me happy for a while.

AUTHORS BIO: Steven Fox is 23, and besides watching tv, he is the main guy at Leaping Lizards. He has also just finished constructing his latest electronic invention, a device which will shortly be sucking a couple hundred dollars from the wallets and gold cards of yuppies all across the country.

ESQ-1 NEWS FROM HEAVEN

Each BBC series cartridge includes: *80 -160 original patches
*Soundguide(TM)
*One year warranty
*Gold-plated edge conn.
*Protective anti-static bag
*SQ-80 Compatible.

BBC- cartridges have great sounds at a great price. If that sounds good to you, you can now order-direct from HEAVEN.

PRICES

BBC-2	80-voice ROM package - Set A	\$35
BBC-6	80-voice ROM package - Set B	\$35
BBC-3	160-voice ROM package - (A & B)	\$55
BBC-5	160-voice RAM package - (A & B)	\$75
BDC-1	80-voice Data Cassette - (A or B)	\$14.95
BDS-1	80-voice Data Book - (A or B)	\$9.95
BDC-2	Demo Cassette	FREE

Due to our new facility and increased production staff, turnaround time is now less than 48 hours*.

CHOOSE HEAVEN

Thousands of cartridges sold already

To Order: Send check or money order to the address below.
Add \$3.00 Shipping/Handling. CA residents add 7% sales tax.
Heaven

P.O.Box 2550
Saratoga, CA 95070 USA

For C.O.D orders call 408-554-2922 (24 hours).

*in most cases.

ESQ-1 (TM) ENSONIQ CORP

Don't Ignore Your Mirage Sequencer!

By Ernie Mansfield

From reading about all the new computer-synthesizers coming out daily, promising to be better, faster, and cheaper than anything else, it is easy to get the notion that what you have bought (i.e., your Mirage) is now half-obsolete, and therefore you start ignoring it; keeping it in the far corner of your studio, dreaming and wishing for more and more brand-new shiny products.

Most musicians I talk to, even owners of the Mirage, are not even aware that the Mirage can do some pretty serious sequencing. Even Ensoniq will tell you that it is a "scratch pad." I think it is a shame for people not to use their sequencer simply because someone has told them that it is a mere "scratch pad," especially if it is the only sequencer they own, and they are not ready or willing to shell out several hundred dollars for more equipment. I am here to tell you that the Mirage sequencer, while not nearly as sophisticated as many other sequencers, can be used for some serious musical projects, can be used professionally, and can save you time and money. I have used it professionally in performance and in recording, so I know of what I speak.

First of all, however, you must go out and buy the Sequencer Expander. At \$70 (maybe less, discounted), it allows you 1,333 events instead of a mere 333 events. How long is 1,333 events? Well, if you don't use the mod wheel or pitch bend, you can play 1,333 notes. If you are in 4/4 time playing quarter notes, you can play a bass line 333 measures long. Or, if you play in four-part harmony, you can enter about 83 measures. Of course, you will never be playing all quarter notes, four-part harmony, and compositions that are exactly 83 bars long. But you can reasonably assume that you can enter 64 measures of a simple accompaniment. A typical "standard" tune is 32 bars, so you can essentially enter two choruses of a standard tune.

But wait! If you loop your sequence, you will have an infinitely long 32 bar song which you can solo over on another instrument, or even solo on the Mirage, which is live during playback. Now, each time you hit "play", your sequence will start over again from the beginning. You can add a four- or eight-bar introduction to your piece simply by playing the first few bars of your sequence, and, at the proper time, hitting the "Play" button.

Since my main instruments are the flute and sax, I often perform with groups or at least with a pianist or guitarist, but I have often had the desire to perform solo, accompanying myself. In fact, sometimes, on a low-budget gig, this is a necessity. Besides the obvious advantages, you are also afforded the opportunity to play in many different musical styles and utilize many different instrument sounds. Here's where your next purchase enters in: before you can prepare your sequences and sounds, go out and buy a formatting diskette and a good supply of blank disks. The Sequence Expander only allows you three sequences per disk. Other optional, but desirable, equipment includes the standard Mirage footswitch, a metronome or rhythm machine, and/or an echo unit. The footswitch will allow you to start and stop your sequence without using your hands (set Parameter 89, Sustain Pedal/Footswitch Select, to ON); the metronome or rhythm machine will help you keep time when you are entering your

sequence. The echo unit, set to a "slapback" effect, can be very useful for setting up a rhythmic effect.

If you have a rhythm machine with either MIDI or a Sync Output, you are fortunate in that you can use the clock from your rhythm unit to control the sequencer. This would be the best way to go, since most rhythm units will have better quantization (i.e., automatically adjusting your playing to be "in time"). To do this, however, you will need to set Parameter 85 to ON (External Clock) and Param. 86 (ON if using Sync Jack, Off if using MIDI In Jack). You will also need to consult your rhythm unit's manual; as with all MIDI hookups, there may be some tweaking involved.

Let's say you are a vocalist or instrumentalist and you would like to use the Mirage as your accompanist while you perform. Here's what you do. Let's use a standard blues for in "C", with an intro and ending:

BLUES

INTRO

|| C / / / | F / / / | C / / / | C7 (rest rest rest) ||

SONG:

||: C / / / | F / / / | C / / / | C7 / / / |
| F / / / | F / / / | C / / / | C / / / |

(1st & 2nd endings)

| G7 / / / | F / / / | C / / / | G7 / / / :||

FINAL ENDING:

| C C7 F Fm | G7 / C (rest) ||

With your sequencer expander inserted and disks formatted (see instructions that come with each), select a bass sound in the lower keyboard and a piano sound in the upper keyboard, then save these sounds on your formatted disk as Sound #1. Now we're ready to enter our bass part. Start your rhythmic device (listed above), or tap your foot as best you can, and follow this procedure:

- 1) Press REC button.
- 2) Press REC button a second time. Now we are on standby. Now the first note we hit will begin the recording process, so be sure you give yourself a count-off and hit the first note on the beat!
- 3) Play a bass part for the entire Blues progression above, starting from SONG:, taking the first and second repeats, then taking the FINAL ENDING.
- 4) After the FINAL ENDING, keep counting, and on what would be the next downbeat, hit PLAY. You have just recorded your Blues bass part, and now it should be playing back. (If it does not, check to see that Param. 88, Sequencer Loop Switch, is ON.) If it is not perfect, re-do it to your liking.

5) Press Save Sequence, #2, Enter. You have now saved your bass part on your formatted disk. Now you are ready to overdub.

6) Press REC.

7) Press PLAY. Now your bass part is playing back, and you can overdub your piano part. At this point you will have to turn off your rhythm unit, unless it is MIDI'd to the sequencer clock. Interestingly enough, you can still use your echo unit, since it is always echoing your output signal.

8) When you have overdubbed to your satisfaction, press Save Sequence, #1, Enter. You have now saved your two-track sequence, along with your piano and bass patches, all on #1 of your formatted disk. Should you want to re-do your overdubs, you can still load Sequence #2, your original bass part, or you can record over it.

Now that you have your Blues recorded, you can add your INTRO (shown above) simply by playing the first four bars of the sequence, pressing Stop after beat 1 of bar four, and then pressing Play on the downbeat of the next measure. This actually works best with the foot pedal, which stops the sequence on the first press, then re-starts it on the second press. You can add more song choruses simply by re-pressing Play or the foot pedal right after the 1st or 2nd endings. You can also speed up or slow down your song by using the arrow keys, even using a rapid slow-down to zero for a sort-of held-note cadence at the end. If you own Upward Concepts' Multi-Temperament disk you can transpose your song to any key, or even invert it. Warning: DO NOT use the


mod or pitch wheels, as they will eat up your sequenced events!

I hope I have interested some of you in using your neglected mirage sequencer. It's true, the sequencer clock sometimes seems erratic, and it is hard to keep good time without external help; however, some kinds of music, like space music and ballads, may even benefit by this somewhat "rubato" effect. Besides, if enough of us persist, perhaps someone will come up with a new software/hardware update providing even more capabilities for this sequencer.

Bio.: Ernie Mansfield is a musician/composer living in the San Francisco Bay area. Twice he has won National Endowment for the Arts awards for jazz performance. As a music transcriber and copyist, he has worked for many composers, including Terry Riley, John Adams, Gunther Schuller, Herbie Hancock, and McCoy Tyner. As a composer and flutist he can be heard on "Windsailor" and "ColorDrops", on Catero/Blackhawk Records. His entirely Mirage-sequenced compositions may be heard as background on a yoga-meditation tape, "Body Praise", distributed by Center for Growth/Wholeness. For more information, contact Music-Graphics, P.O. Box 737, Berkeley, Ca. 94701. ■

SoundprocessTM

Digital Synthesizer for the Ensoniq MIRAGE



- **New** Mirage Operating System! - NO hardware mods
- Combines the power of SAMPLING with SYNTHESIS
- 48 internal sounds per bank • 72 user-loadable waveforms
- 16 channel MULTI-TIMBRAL sound control thru MIDI

Soundprocess System Disk....\$245

Soundprocess Demo Disk....\$10



Box 395 Grand Island New York 14072

Ensoniq and Mirage are trademarks of Ensoniq Corp.

Hackerpatch

By Sam Mims

HACKERPATCH is intended to be a place where patch vendors can show their wares and musicians can share their goodies and impress their friends. Patches designated *ESQ-1 will also work on the SQ-80. The reverse is not always true. Once something's published here, it's free for all. Please don't submit patches that you know to be minor tweaks on copyrighted commercial patches unless you have permission from the copyright owner. All submitted patches are subject to consideration for mutilation and comments by Sam Mims - our resident patch analyst. If you send in a patch, **PLEASE** include your phone number.

The Patch: PSYNTH

By Philip Cook, Ruston, LA

This sound has a delayed echo effect. Turning on the AM or SYNC modes can provide some interesting effects.

The Hack

This is a pleasant synth patch, but I'm not a big fan of the echo effect as it is. The echo is created by ENV 3 controlling the filter. First of all, I don't like having TK=09; this parameter changes the value of T2 depending on how high up the keyboard one plays, and in this patch it means the echo delay changes accordingly. Try hitting the lowest and highest notes on the keyboard simultaneously to see what I mean. So I set this to 00 for an even delay. The echo was too long and too pronounced for my taste, so I changed T2 to 24 (this is the delay time) and L3 to +24 (the echo amount) for a very subtle effect. The effect is not a true echo, as would be achieved with a digital delay, since the sound stays at the echo level (L3) until the key is released. It's a nice effect just the same.

If you want to leave off the echo, change L2 of ENV 4 to +41. This sounds a bit abrupt though, so smooth the attack some by changing T1 to 19 or so. It's fun at this point to play with the filter resonance (Q) as well.

Back to Philip's original sound, turning the SYNC on makes a very subtle difference, but switching on the AM makes a nice synth brass sound. This latter variation could be made pretty punchy with a quick bit of envelope manipulation.

The Patch: DUAL

by Michael A. Duhaime, Softworx MIDI Systems

Adjusting LV of ENV 1 can give you more dynamic velocity with this patch. Adjust it to suit your taste. Velocity controls the panning modulation, but you may want to change this parameter to suit your specific application.

The Hack

This is sort of a DX-ish digital piano sound. Following the attack "chiff" created by OSC 3 set to NOISE 1, the electric piano sound swells louder a bit. I wasn't crazy about such a noticeable swell, so I changed L2 on ENV 4 to +54. This led to a further problem of the sound sustaining too loudly, so I changed L3 on that envelope to +39. I'm sure that Michael had something different in mind when he created this patch, but it sounded so close to a particular DX patch that I couldn't resist trying to get it even closer.

Changing the waveform of OSC 3 can change the "chiff" on the attack into a high bell. It's interesting that this happens no matter what waveform you change it to, other than the NOISE

waves or KICK. All the other choices lead to the same effect with only subtle variations because the OCTAVE is set to +3, adding the sound of OSC 3 in like a high harmonic.

The Patch: DLCMR1

Tom McCaffrey, SoundBank

DLCMR1 is a hammer dulcimer sound specific to the SQ-80. Now you can bring your SQ-80 to the Philadelphia Folk Festival and not feel left out. The sound uses the PLUCK waveform for the hammer attack, and VOICE 1 waves for the decay.

The Hack

This is a pretty nice sound, but - as Tom mentions - it's pretty hard to adapt it to the ESQ-1. It works well on the SQ-80 though, and shouldn't be restricted just to folk music. You may prefer using the PIANO waveform on OSC 1 and 3, rather than VOICE 1. To me, it sounds more like a vibrating string this way. I also turned down the release time a bit by changing T4 on the ENV 4 page to 29R.

Without the PLUCK waveform, the ESQ just doesn't duplicate this patch. But you can get a nice sound - just not as realistic - by using BASS or BASS 2 for the OSC 2 waveform. Also on the ESQ you won't get the effect of LFO 2's vibrato unless you play the ESQ from a pressure-sensitive keyboard. The ESQ responds to pressure via MIDI, but the keys themselves do not transmit it.

The Patch: TOMS-1

By Preston Connick, Music Bank

The Hack

This is a great Simmons tom sound from Music Bank's Songwriter Series 1. The sound is big and powerful and beats any other imitation I've heard to date. OSC 1 uses a sine wave which slides down in frequency - due to ENV 2 modulating it - to add the classic Simmons flavor. OSC 2 and 3 add the punch that makes the sound really slam. The patch is very realistic on the bottom octaves of the keyboard.

If you DO want to get a bit less punch and more of an electronic drum, try changing the waveform of OSC 3 to NOISE 1 or NOISE 3. Changing this to KICK makes for an interesting variation, but one that is unrealistic. Is that good or bad? Turning on the AM on the MODES page produces a very unpleasant imitation of certain bodily functions.



Bio: Sam Mims is a performing musician and a member of the LA band MESSENGER. He owns Syntaur Productions, a company that has produced music for TV and radio, commercials, planetarium shows, and films. He plans to market synth patches for the ESQ-1 and Mirage samples.

ESQ-1 PROG: PSYNTH

BY: PHILIP COOK

	OCT	SEMI	FINE	WAVE	MOD#1	DEPTH	MOD#2	DEPTH
OSC 1	-1	0	12	SQR	OFF	-	LFO1	3
OSC 2	-1	0	8	SQR	OFF	-	LFO2	3
OSC 3	-1	0	4	SQR	OFF	-	OFF	-

	LEVEL	OUTPUT	MOD#1	DEPTH	MOD#2	DEPTH
DCA 1	56	ON	OFF	-	OFF	-
DCA 2	56	ON	OFF	-	OFF	-
DCA 3	56	ON	OFF	-	OFF	-

	FREQ	Q	KEYBD	MOD#1	DEPTH	MOD#2	DEPTH
FILTER	0	0	38	ENV3	48	OFF	-

	FINAL VOL	PAN	PAN MOD	DEPTH
DCA 4	63	8	LFO1	3

	FREQ	RESET	HUMAN	WAV	L1	DELAY	L2	MOD
LFO 1	31	OFF	OFF	TRI	11	0	11	OFF
LFO 2	24	OFF	OFF	TRI	11	0	11	OFF
LFO 3	-	-	-	-	-	-	-	-

	L1	L2	L3	LV	T1V	T1	T2	T3	T4	TK
ENV 1	-	-	-	-	-	-	-	-	-	-
ENV 2	-	-	-	-	-	-	-	-	-	-
ENV 3	63	10	41	8	0	0	39	0	39	9
ENV 4	41	53	47	0	0	0	0	0	39	9

	SYNC	AM	MONO	GLIDE	VC	ENV	OSC	CYC
MODES	OFF	OFF	OFF	0	OFF	ON	ON	OFF

	SPLIT/LAYER	S/L PRG	LAYER	LAYER PRG	SPLIT	SPLIT PRG	SPLIT KEY
	OFF	-	OFF	-	OFF	-	-

ESQ-1 PROG: DUAL

BY MICHAEL DUHAIME

	OCT	SEMI	FINE	WAVE	MOD#1	DEPTH	MOD#2	DEPTH
OSC 1	-1	0	0	EL PNO	LFO1	1	OFF	-
OSC 2	-1	0	3	EL PNO	LFO1	-2	OFF	-
OSC 3	3	0	0	NOISE1	VEL	32	LFO1	1

	LEVEL	OUTPUT	MOD#1	DEPTH	MOD#2	DEPTH
DCA 1	0	ON	ENV1	63	OFF	-
DCA 2	0	ON	ENV1	63	OFF	-
DCA 3	0	ON	ENV2	63	OFF	-

	FREQ	Q	KEYBD	MOD#1	DEPTH	MOD#2	DEPTH
FILTER	48	5	52	KBD	-63	VEL	19

	FINAL VOL	PAN	PAN MOD	DEPTH
DCA 4	63	8	VEL	-23

	FREQ	RESET	HUMAN	WAV	L1	DELAY	L2	MOD
LFO 1	31	OFF	ON	TRI	0	0	16	WHEEL
LFO 2	-	-	-	-	-	-	-	-
LFO 3	-	-	-	-	-	-	-	-

	L1	L2	L3	LV	T1V	T1	T2	T3	T4	TK
ENV 1	46	57	56	0	0	4	0	0	33	9
ENV 2	63	0	0	0	0	0	37	0	29	9
ENV 3	-	-	-	-	-	-	-	-	-	-
ENV 4	63	39	63	20	0	0	15	37	55	0

	SYNC	AM	MONO	GLIDE	VC	ENV	OSC	CYC
MODES	OFF	OFF	OFF	0	ON	OFF	OFF	OFF

	SPLIT/LAYER	S/L PRG	LAYER	LAYER PRG	SPLIT	SPLIT PRG	SPLIT KEY
	OFF	-	OFF	-	OFF	-	-

SQ-80 PROG: DLCCR1

BY: TOM MCCAFFREY

	OCT	SEMI	FINE	WAVE	MOD#1	DEPTH	MOD#2	DEPTH
OSC 1	0	0	0	VOICE1	LFO1	4	LFO2	3
OSC 2	0	0	3	PLUCK	LFO1	4	LFO2	3
OSC 3	0	0	1	VOICE1	LFO1	4	LFO2	3

	LEVEL	OUTPUT	MOD#1	DEPTH	MOD#2	DEPTH
DCA 1	52	ON	OFF	-	OFF	-
DCA 2	52	ON	OFF	-	OFF	-
DCA 3	52	ON	OFF	-	OFF	-

	FREQ	Q	KEYBD	MOD#1	DEPTH	MOD#2	DEPTH
FILTER	78	0	23	ENV3	27	OFF	-

	FINAL VOL	PAN	PAN MOD	DEPTH
DCA 4	63	8	KBD2	47

	FREQ	RESET	HUMAN	WAV	L1	DELAY	L2	MOD
LFO 1	23	OFF	ON	TRI	0	1	20	WHEEL
LFO 2	27	OFF	OFF	TRI	0	0	0	PRESS
LFO 3	-	-	-	-	-	-	-	-

	L1	L2	L3	LV	T1V	T1	T2	T3	T4	TK
ENV 1	-	-	-	-	-	-	-	-	-	-
ENV 2	-	-	-	-	-	-	-	-	-	-
ENV 3	62	45	17	0	22	3	11	63	37	9
ENV 4	63	62	0	10L	1	0	6	49	35R	22

	SYNC	AM	MONO	GLIDE	VC	ENV	OSC	CYC
MODES	OFF	OFF	OFF	0	OFF	OFF	OFF	OFF

	SPLIT/LAYER	S/L PRG	LAYER	LAYER PRG	SPLIT	SPLIT PRG	SPLIT KEY
	OFF	-	OFF	-	OFF	-	-

ESQ-1 PROG: TOMS-1

BY: PRESTON CONNICK

	OCT	SEMI	FINE	WAVE	MOD#1	DEPTH	MOD#2	DEPTH
OSC 1	-1	4	4	SINE	ENV2	48	ENV4	-28
OSC 2	-1	0	0	KICK	ENV4	-50	OFF	-
OSC 3	3	0	0	NOISE2	ENV2	48	KBD2	-63

	LEVEL	OUTPUT	MOD#1	DEPTH	MOD#2	DEPTH
DCA 1	35	ON	ENV2	32	KBD2	4
DCA 2	0	ON	ENV1	63	OFF	-
DCA 3	0	ON	ENV3	63	OFF	-

	FREQ	Q	KEYBD	MOD#1	DEPTH	MOD#2	DEPTH
FILTER	26	2	0	ENV2	63	KBD2	-2

	FINAL VOL	PAN	PAN MOD	DEPTH
DCA 4	63	10	KBD2	40

	FREQ	RESET	HUMAN	WAV	L1	DELAY	L2	MOD
LFO 1	-	-	-	-	-	-	-	-
LFO 2	-	-	-	-	-	-	-	-
LFO 3	-	-	-	-	-	-	-	-

	L1	L2	L3	LV	T1V	T1	T2	T3	T4	TK
ENV 1	63	0	0	0	0	0	18	0	0	45
ENV 2	60	-63	0	0	0	0	36	0	63	20
ENV 3	63	0	0	0	0	0	8	0	0	9
ENV 4	63	63	56	0	0	0	20	12	23	11

	SYNC	AM	MONO	GLIDE	VC	ENV	OSC	CYC
MODES	OFF	OFF	OFF	0	ON	ON	ON	ON

	SPLIT/LAYER	S/L PRG	LAYER	LAYER PRG	SPLIT	SPLIT PRG	SPLIT KEY
	OFF	-	OFF	-	OFF	-	-

Classifieds

USER GROUPS

Forming New Brunswick, NJ area EPS-ESQ-1 users group. If interested, call Manny, 201-390-8537.

Ensoniq User's Group of the Philadelphia Area (ESQUA). Public domain patches and samples, programming/sequencing/MIDI tips, special events, and more. Dues: \$10 per year, meetings first week of each month. Contact Tom McCaffrey, 215-750-0352.

SAMPLES

Wanted: DX7 voices in Iguana format. Chris Bargelski, 1155 Cameron Ave., Idaho Falls, ID 83402.

My Lush disk & X disk for Soundprocess - all new! Over 100 sounds per disk - only \$25 each. Bob Spencer, #11 Warren Dr., Granite Falls, NC 28630.

Anyone interested in purchasing a complete set of original EPS samples along with the rights to copy and market them, please contact Barry Carson, Minotaur Studios, Canton, NY 13617.

D-50 sounds for your MIRAGE and EPS samplers. We sampled 64 great D-50 sounds. 10 diskette set, \$64.95. Order now, M.O. only, or send \$6.00 for demo cassette and sound list. PSL Productions, PO Box 802, Station K, Montreal, P.Q., Canada, H1N 3R2.

RARE ACOUSTIC INSTRUMENTS sampled for the Ensoniq Mirage: Lute, Medieval Harp, Viols, Hand Bells, Clavichord, Vielle, Harpsichord, Recorders, Krumphorns, Dulcimers, Renaissance Pipe Organ, Rebec, Harmonium, Pipe, Dulce Melos, many more. Barry Carson, Minotaur Studios, 4 College St., Canton, NY 13617.

EPS, DSK, MIRAGE samples. Sampled from Korg: M-1, Roland: S-50 and D-50, Emulator, Prophet, DX7, plus many, many others. Every sound you'll ever need. Listings: \$1.00. Demo Tape: \$6.00. (3 free samples with first disk.) Disks: \$9.95. MR WAVESAMPLE. 162 Maple Place, Keyport, NJ 07735. (201) 264-3512 after 6 pm EST for details.

EQUIPMENT

Yamaha FB01, like new: \$200. Call 201-736-7160.

YAMAHA CX5M Midi Computer, 64k, Brand New in Carton with DX7 editor software. \$100.00. Frank Pretto, 505-473-1749.

Wanted: New or Used. Memory Expansion for the Mirage - either IVM's Megabank or Virtual Engineering's Turbo MME. Mark Lautenwasser, 1522 M St. SW, Cedar Rapids, IA 52404. (319) 382-6266 or (319) 377-8011.

ESQ-M (2), \$850 each; Prophet-600 with 600 voices, \$650; RX17, \$200. Prepaid insured shipping. (904) 398-6888 6-8 pm or weekends.

MIRAGE VES w/Koala pad for Apple II \$160, MPU 401 w/APL card \$100, MUSE \$40, Texture \$50, Morel 415-934-5574.

SUPER HEAVY DUTY STEEL RACK excellent for all rack mountable modules, 39 rack spaces, 6 ft. H by 21 in. W by 21 in. D. \$95.00 + FRT. **ENSONIQ ESQ-1** Mint Condition! with over 2,300 Professionally Programmed Patches worth over \$450 + Sequencer Expander all only \$895.00. **MASTER TRACKS 16** Track Sequencer Program for the C-64, Original Disk with Backup Disk and full Doc. Like NEW! \$75. Dr. T's MIRAGE EDITOR for C-64 Original Disk and Doc. \$50.00. **INPUT FILTER** Used once \$75.00. **MUSIC PACK ESQ 160 VOICE** RAM cart with sounds \$50.00. **LEAPING LIZARDS (IGUANA)** super librarian for the Mirage. With full Doc. \$20.00. **ORBITAL ACTION MUSIC**, P.O. 55191, GRAND JUNCTION, CO 81505. 303-245-7639.

GET IT OFF MY HANDS SALE: Korg DW-8000 \$595, Korg Poly-61 w/800 sounds & MIDI \$295, Voyce LX-9 MIDI Processor \$319, Yamaha DX-7 w/512 voice internal memory \$995, ESQ 10,000 seq expander \$3.50, Mellotron 400S \$6500. Garth Hjelte, 206-242-9220. (I'll pay shipping.)

ESQ-M w/2 RAM Carts, mint, studio use only, \$575 or swap for DMS-8 rackmount. Pat Finnigan, 4817 E 17th St., Indianapolis, IN 46218 or call 317-357-3225.

ESQ-1 20,000 note expander \$75. Call John Melcher: 407- 858-7892.

SOFTWARE

C64 Software: Dr T - KCS \$75, Echoplus \$30, Sonus - FB01 Design \$45, Quiet Lion - Diatonica 7 \$40. Call 201-736-7160.

MSCI - IBM VES for Mirage and MPU-401. Reviewed in Issue #38 of TH. Program: \$55.00, Demo: \$10.00. Add \$5 S/H. Send check to: Jeffrey Richter/Donna Murray, 3502 Village Bridge Apts, Lindenwold, NJ 08021. Phone: 609-348-0943.

Just Intonation Calculator, by Robert Rich. Macintosh Hypercard stack makes JI easy: shows scales to 48 notes/octave; calculates transpositions; reduces fractions; converts between ratios, cents, DX711, TX81Z units; internal sound. Only \$10.00. Soundscape Productions, Box 8891, Stanford, CA 94309.

PATCHES

ESQ-1 WHY PAY MORE? 1000 sounds on Sony or TDK data cassette \$39.95. Excellent, useful performance patches. Included is a data index showing tape location of each sound. **OR**, get the best of the above - one 80-voice RAM cartridge for \$79.95 (or data disk for \$29.95). Included are 5 Rhodes, 10 pianos, 9 organs (including B3's and Farfisa), 9 basses, 6 gorgeous strings, great voice choirs, rich pop synths, percussion and exciting effects. For **SPEEDY DELIVERY**, send Money Order (add two weeks for checks) to: DW Enterprises, 3 Golf Center, Suite 143, Hoffman Estates, IL 60195.

SOUND LOGIC ESQ-1/SQ-80 "Modular Voice System". 120 Stereo Voices - 80 Fundamental and 40 Unique. Extensive implementation of CV Pedal. Program sheets and performance notes. SysEx or Mirage disk or cassette: \$39.95. **FREE** Shipping & Handling. For brochure or to order: **SOUND LOGIC**, 1125 Eleventh Street, Ramona, CA 92065.

ESQ-1/SQ-80 -- SONGWRITER SERIES from the MusicBank. 80 original patches for the ESQ-1 and SQ-80. Realistic sounding acoustic instruments, 20 drum and percussion sounds, plus lots of synth pads and useful keyboards. Call (408) 353-5040 for more details. Visa & M/C. The MusicBank, 18522 Mt. View Avenue, Los Gatos, CA 95030.

ESQ-1/SQ-80 840 Sparkling sounds!! Professionally Programmed. Super Synth, Bass, Brass, Thick Strings, and many unusual sounds. 280/\$19.95 or all 840 sounds for only \$39.95. Our Super 160 Voice RAM CARTRIDGE comes with 160 Voices from Volume One. Only \$49.95. P/H: \$2.50. **MUSIC WORLD**, 617 Panorama Drive, Grand Junction, CO 81503.

SEQUENCES

For the ESQ1 with expanded memory: classical music sequences from organ and piano scores, including patches for the proper sounds. 9 volumes available. Supplied on high quality data cassette and individually made at \$14.95 each or audio cassette at \$6.00 each, plus \$2.00 S/H. Send for free list. If you like classical music you'll be amazed! Don Pribble, 6810 Hwy 55, Minneapolis, MN 55427.

ACCESSORIES

DUST IS BAD...COVERS ARE GOOD. Custom-made covers of durable black double-stitched poly/cotton protect your instrument. Available for: SQ-80, EPS, ESQ-1 (give serial #), DSK, MIRAGE, many others. Send \$21.95 plus \$2.00 p/h to: **STAR COVER**, 21229 Pacific Coast Highway, #1001, Malibu, CA 90265.

HELP!

WANTED: exact note-for-note scores from ELP - all instruments needed. (Records from Tarkus and Trilogy preferred.) Please write to: D. Perrusset, 7 Rue Robert Schuman, 95600 Eaubonne, France.

Help! I bought a Korg DDD5 w/o realizing I couldn't store and reload individual songs. I need to rearrange songs within a set. I can't be the only one. Write to Vicki, PO Box 109, Greenleaf, ID 83626.

SERVICES

If you need many different sounds instantaneously, and can't afford \$269 to \$400 for a memory expander, and you don't have the time or patience for customizing your own disks, then give me a call and for as low as \$2 per wavesample I'll do the job! Need a sound? I'll sample it for you. I can also add loops to your samples. Call or write: Mr. Wavesample, 201-264-3512 after 6 pm Eastern time. 162 Maple Pl., Keyport, NJ 07735.

OUT-OF-PRINT BACK ISSUES

M.U.G. will provide Out-of-Print issues for cost of materials and postage. M.U.G. Hotline: 914-963-1768 or write: G-4 Productions, 622 Odell Ave., Yonkers, NY 10710.

Photocopies of out-of-print past issues of the Hacker can be obtained by calling Jack Loesch, 201-264-3512 after 6 pm EST.

I would be happy to accomodate requests for copies of no longer available back issues of the Hacker. 5 cents per page plus postage. Pat Finnigan, 4817 E 17th St., Indianapolis, IN 46218. 317-357-3225.

Folks in the New York City area can get copies of unavailable back issue of the Hacker - call Jordan Scott, 212-995-0989.

FREE CLASSIFIEDS!

Well, - within limits. We're offering free classified advertising (up to 40 words) to all subscribers for your sampled sounds or patches. Additional words, or ads for other products or services, are 25 cents per word per issue (**BOLD** type: 45 cents per word). Unless renewed, freebie ads are removed after 2 issues. While you're welcome to resell copyrighted sounds and programs that you no longer have any use for, ads for copies of copyrighted material will not be accepted.

- THE "8-PAK" MULTIPLE OUTPUTS FOR THE MIRAGE
- \$350.00
- 8 CHANNELS ALL CHANNELS POLYPHONIC
- SOUNDS ASSIGNABLE TO ANY CHANNEL
- REDUCES NOISE
- ADDITIONAL OPERATING SYSTEM ENHANCEMENTS
- FOR RACKMOUNT AND KEYBOARDS
- LOOK FOR THE ENTHUSIASTIC REVIEW IN THE SEPTEMBER HACKER

CB Brandon
TECHNOLOGY FOR MUSIC

PO BOX 325
COLORADO SPRINGS, CO 80915
719-634-8655, 719-574-7892

The Interface

Letters for The Interface may be sent to any of the following addresses:

U.S. Mail - The Interface, Transoniq Hacker, 1402 SW Upland Dr., Portland, OR 97221

Electronic mail - GENie Network: TRANSONIQ, CompuServe: 73260,3353, or PAN: TRANSONIQ.

This is probably one of the most open forums in the music industry. Letter writers are asked to please keep the vitriol to a minimum. Readers are reminded to take everything with a grain of salt.

Dear TH,

In the last Interface there was a "please help" letter addressed to me from Jeri Ray, Mount Juliet, TN. I contacted Jeri, and after qualifying the problem we learned that the MIDI in her ESQ-1 worked fine when it wasn't hooked up to the Commodore 64. This led me to believe the problem was someplace other than the ESQ-1. Jeri mentioned that she was going to purchase an IBM PC in the near future, so we agreed to wait and see what results that would yield. We contacted Jeri after she received the IBM PC. Everything is OK.

Sincerely,
Steve Coscia
Ensoniq Corp.

Dear TH,

I have a problem I hope you can help me with. I own a Mirage and ESQ-1 and am experiencing a serious low hum (around 200 Hz, if I had to guess) when connecting either or both keyboards to my Peavey CS-1200 amplifier. I have tried all sorts of mild to heavy shielded cables. I have tried grounding both keyboards to each other and to the amplifier. I have tried putting everything on an EMI/RFI surge suppressor, also a voltage regulator. I have also tried connecting a hi-to-low impedance transformer to the output of both keyboards and plugging in through an XLR/CANON low impedance connector to the amp. For a while I was thinking that the problem may have been in my amp, cables or electrical outlet(s) but when that same cable is plugged into any of my other keyboards or drum machines, that hum disappears and all is well. I called Ensoniq about it and they told me that they don't know of any such problems. The volume on both the keyboard and the amp have been readjusted in just about all manners, but any time I push more than 300 watts, that hum fiercely appears. I have also tried a loaner from my dealer. The problem is in theirs, too.

The same setup when connected to my DX-7 works great with even twice the output volume. By the way, that problem also appears when connecting either equipment to my 4 track cassette recorder, but just not as bad. Do you know of any fixes?

Pierre H. Kerbage
Mission, KS

[TH - If you can put a scope on it and determine that it really is 200 Hz (and not 60 or 120), then all the futzing with the power lines and grounding isn't going to do anything. (Unless, of course, somebody's injecting 200 Hz into your line. Check that too.) Sure sounds like something's goofy in some part or circuit that's common to both instruments.]

[Ensoniq's response - You need to determine if the sound is a 60 Hz or 120 Hz hum induced by grounding. Because of UL and FCC requirements, the grounding scheme we use is quite complex and can lead to ground loop

hum in improper system configurations.

Attach only one keyboard and don't attach any other cables except power and audio, then experiment with ground lifting either or both the amp or the keyboard. If the hum goes away, you must have a grounding problem and will need to determine the proper configuration which doesn't induce hum.]

Dear Transoniq Hacker:

I am writing for one basic reason. I want to make the SQ-80 owners of the world aware of my experience with the 1000plus voices offered by Fred's Music Shop. I hope it will save them time and money. I intended on going through the disk and taking out the very finest sounds for my own use. I did this, but with much disappointment.

I found only 32 excellent sounds. Approximately one-half of those are beyond excellent and make me believe I am playing a far more advanced instrument. Unfortunately, this leaves just around 1000 throwaway voices!

I am not being overly picky by any means. I've been a musician for about 18 years. I've played all styles of music. I own a modest set-up including a Mirage, Matrix 6, Roland 106, Mac plus with Opcode sequencer and now the awesome SQ-80.

If anyone is interested in and needs a wide variety of sounds it is me! This is not an overly subjective review. I have played many of the unuseful sounds for other musicians - they agree.

There is a great deal of repetition in Soundbank. For example, they took the same bass sound and with very MINOR tweaks gave it a new name under the pretense of a useful variation. Then, this same basic patch is repeated over and over again. Each one of these repetitions is then given a new name. To me, this defines the term "filler". The SQ-80 is not a toy and that's what it sounds like with this disk!

Several other patches generated no sound or a barely audible click or bleep. Of course, they had impressive sounding names.

I understand completely that almost any sound can, at some point, be conceivably useful in some sound mix. This seems to be the premise the disk was built upon. I do not define "a musical sound" as something merely audible from the output of my keyboard.

Needless to say, I totally and adamantly disagree with Patrice DeVicentis' review of Soundbank in the August issue. However, she did make a good point that the banks are well organized into groups and this does save time. I hope the Hacker won't dismiss this as being too biased or vitriolic. The fact of the matter is that I only want to make everyone aware that what has been advertised as a 1000 voices is not what you might expect for your hard earned money.

Don't let Freddie Boy laugh all the way to the Soundbank...

Sincerely,
Trent Gardner
Vacaville, CA

[TH - Additional opinions are ALWAYS welcome. (This is particularly useful in response to reviewers who are new and unfamiliar to our readers.) Thirty-two excellent patches out of a possible 1000 sounds sure doesn't sound too good. However, if you look at it as 32 great sounds for \$125 each and the rest is just extra stuff it's not a bad deal. (If you don't mind a little hunting...)]

Dear Hacker:

I have recently discovered a problem with my ESQ-1 that some of your readers may be interested in or may even have a solution for. Ensoniq's response to this problem was particularly annoying, but more on that later. Now on to the problem...

My ESQ-1 has version 2.3 of the operating system. I am using it in a live performance situation where I am required to play a bass part simultaneously with various other string/horn/electric piano parts. So I thought I would split the keyboard for all the various sounds with the bass sound. Furthermore, I wanted the bass to come out the left channel and go directly to my amp, while all the other sounds are assigned to the right channel and go through a volume pedal on their way to the amp. I tried to accomplish this by panning the bass sound all the way to left and all the other sounds all the way to right. (The volume pedal gives much more control over certain solo-voice lines that occur in the right-hand parts.) To demonstrate the problem I am having, you can try the standard BLPMO patch panned all the way right layered with the PIANO2 patch panned all the way left. Set the panning modulation to "OFF" in both cases.

Now for the problem. With the patches mentioned above and the ESQ connected in stereo, there is a crosstalk problem between the two channels. This is not just a stereo separation issue, but rather a transient signal routing problem. A VERY DISPLEASING popping sound can be heard in the left channel output when playing the right-hand voices, something which clearly SHOULD NOT OCCUR. It does not happen on the same notes every time, and indeed some notes will intermittently display the symptom. It is most noticeable when the sound on the right channel has a strong attack. It's almost as if the microprocessor inside the ESQ doesn't properly make the left/right channel assignment before starting to produce the sound. (If you noodle around a bit with the right hand only, it might not show up until you start playing both hands at once.)

For my usage, these transients in the left channel are TOTALLY unacceptable because I am not using a volume pedal on that channel and the transients are about as loud as the bass sound that is SUPPOSED to be center and use the left/mono output, thus giving up

CYBERSONIQ

MAKING WAVES FOR YOU!

The **SYNTHBANK VOLUMES 1/2** provide Mirage users with a variety of easily accessible synth samples that combine the power sampling with 48 advanced wavetables created with Crosswave, FM, Analog and Harmonic Additive Synthesis.

Includes great presets like mallet, FM tines, bottle horns, reeds, additive voices, chiffs and more!

Both Vol. 1/2 include 48 user selectable glitch free wavetables, 2 disks (whole/splits), manual, 192 patch listing and S/H.

Vol.1: \$32.95, Vol.2: \$39.95.
Limited Special-Vol.1/2: \$64.95.
NYS Residents add 8.25% tax.

CYBERSONIQ
PO Box 1771, Madison Square
Station, NY, NY 10159

Mirage & EPS are both trademarks of Ensoniq Corp.



MONSTER DAN is still surviving sequencing madness, and now

HUNDREDS of Top 40

sequences for ESQ-1* or SQ-80* are available. Get sequences, patches, drum patterns, and programmed mix for all the songs you need to keep your act current.

SUBSCRIPTION DISCOUNTS are now happening! For more info., catalog listings, and order forms call any time **24** hrs. a day, or write

DANLAR MUSIC

PO Box 973

Tualatin, OR 97062 USA

(503) 692-3663

ESQ-1 and SQ-80 are trademarks of ENSONIQ CORP.

some of the volume control for the solo right-hand voices. Increasing the velocity sensitivity of ENV4 helps a little in most cases, but it's still not as useful as a separate volume control would be.

Now for Ensoniq's response to the problem. First I went back to the store where I bought the ESQ. They were helpful, but they had never noticed this problem. Anyway, they didn't design the thing, so I didn't really expect them to have a solution for what seemed to be a software/hardware design flaw. I also tried it on the ESQ running version 3.5 of the operating system, but with the same results.

Next I called Ensoniq's customer service number. The person I talked to, whose name I didn't get, knew about the behavior I was describing within about 30 seconds of our conversation (indicating to me that I'm not the first to report this). THEN HE HAD THE NERVE TO TELL ME IT "WASN'T A PROBLEM". Just what DOES constitute a problem with these guys? Does the unit have to be unplayable, because let me tell you, it IS unplayable in this configuration. Since it is not performing up to spec, an effort should be made to fix the problem or at least acknowledge its existence as a known bug. (Where in the ESQ-1 manual does it say "By the way, don't pan sounds hard left or right, because this creates ugly crosstalk transients."?)

The workaround suggested to me on the phone was to reduce the panning by moving all the voices towards the stereo center somewhat, which did reduce the transients, but also made it useless to use separate outputs in my application. Having experience myself in programming real-time operating systems, I can accept the fact that this problem might be insolvable if Ensoniq has run out of PROM space or if an oversight was made when designing the hardware. I certainly don't expect them to field-upgrade all existing units. But to simply say "It's not a problem, therefore we don't have to fix it" is a truckload of bulls__t.

Interestingly, Mr. Ensoniq also said that the problem should not occur on the SQ-80, "because the SQ-80 has true stereo outputs". Translation: "stereo on the ESQ-1 is a kludge, but we did it right the second time around".

I have one final point, having to do with what I will call the "all-notes-off" controversy and Ensoniq's response to it. One of the really powerful features of any computerized system is its configurability by the END USER. This means we the people who bought the thing. There should be no technical reason why the recognition and transmission of the MIDI "all notes off" message can not be an option on the master menu page. If it would take more menu pages, who cares? It's not like you're going to be changing it every day.

It's unfortunate that I couldn't get a satisfactory answer from Ensoniq about this matter, because I am genuinely pleased with the product, and could even recommend it.

Graham Doig
Troy, NY

[Ensoniq's response - Unfortunately, you misunderstood the intention of the panning

circuitry. It was never intended or designed to create separate outputs. The voltage-controlled panners in the voice chips used in the ESQ-1 and SQ-80 do not have sufficient channel separation to avoid cross-talk and inherently produce control feed-through transients when switched rapidly from one extreme to the another.

There is nothing that can be done about this as we have no control over the manufacture of the voice chips. They were not designed to do what you are trying to do, nor have we ever said that they could.

The SQ-80 is identical to the ESQ-1, but the EPS allows this function at the expense of dynamic panning which is available on the ESQ-1/SQ-80.

There is not enough memory to allow the ALL NOTES OFF message to be used as an option. Because we've had so many calls having to do with Roland gear concerning this, we aren't likely to resurrect the situation again.]

Dear Hacker:

I'm on my second year of your great magazine. Keep up the good work.

I have a question for Ensoniq: Are there any plans in the near or distant future to produce a rack-mount ROM sample player loaded with those great Mirage factory sounds? With the introduction of VLSI chips to the marketplace, getting these sounds into a unit as described would be a fairly easy task for the technowizards at Ensoniq.

And let face it - even with the plethora of 3rd party Mirage sounds that are available - the factory sounds still will beat the others hands down.

Thank you,
David Detling
Pensacola, Fla.

[Ensoniq's response - Unfortunately, the cost of masked ROMs is very high and would not allow us to produce a cost-effective product. The biggest ROMs available would still only hold four MIRAGE sounds.]

Hello again,

I have another question for Ensoniq in regard to SQ-80 functions. It appears that although it is possible to load patch data via cassette from an '80 into an ESQ-1 (if only ESQ waveforms are used) a number of us have discovered that this is not the case with sequence information. Because of that lovely disk drive in the SQ, there is no need for a "tape out"... unless you intend to send information to an ESQ-1. I'm sure that what the problem is, is that even with no information in seq 31-60 and songs 11-20, that it is looking for some place to put the "non-information" from the SQ (non-seq and non-songs). Is it possible to filter out that information? Will it be the same for Mirage dumps if that is implemented?

Something else to consider. While there is a "Remove Controllers" function on the TRACK page, is it possible to put one on the SEQ page? I am forever triggering the after pressure on patches where it makes no

difference (except to eat up memory).

One more thing, has anyone considered a custom wake-up message for the SQ (or any of the keyboards). One that says "THIS SQ-80 PROPERTY OF..." It would be worth it for me to pay an extra whatever. It would have to be registered to serial numbers with a card to mail in if the equipment was sold to someone else but it would sure be likely to "catch the thief". Thanks for your attention.

Sincerely,
L. Benny Sanders
Toronto, Canada

[Ensoniq's response - It isn't possible to filter out the type of information that you're referring to.]

With a "Remove Controllers" function on the TRACK page, it isn't necessary to put one on the SEQ page. Simply remove controllers from each track of the sequence.

There isn't enough memory available in the SQ-80 for a custom wake-up message. Besides, it could always be cleared out by reinitializing the unit.]

Dear TH,

Your mag just keeps getting better, so here's a check for my subscription renewal. The reviews (both positive and negative) and the large letters section are great! How about doing a periodic summary index of product reviews, and maybe a summary of what products are available for which synths and computers? (For instance, what are my choices of ESQ-1 patch editors/librarians for an IBM PC alone?)

In the July '88 issue, Steve Hodak asked a question about an acoustic sound analysis article. I recommend "A Synthesist's Guide to Acoustic Instruments" by Howard Massey. (Amsco Publications) You can order it through the Mix Bookshelf. Just check out Electronic Musician magazine. It includes descriptions of various instrument sounds, frequency and FFT plots, and synth patches for subtractive (analog) synths, phase distortion (C2) synths, digital FM (DX7), and tips for sampling. This is an excellent book. Another distributor for the book is: Music Sales Corporation, 24 East 22 Street, New York, NY 10010.

Keep up the great work!
Bob Bockstahler
Encinitas, CA

[TH - Bob, your periodic summary index idea sounds promising (if it's short!). If you're interested in doing it, how about you give us a call and we'll hack out the details.]

Dear Transoniq Hacker,

After years of having to settle for owning only cheap "toy" keyboards while being a starving graduate student, I am now the delighted owner of the synth of my dreams, the SQ-80. I had been lusting after the DX7 for many years, but when I had my first demo of the ESQ-1 last year at a local music shop, the object of my desires abruptly changed. When the SQ-80 arrived I could wait no longer and have been passionately involved since I brought her home. (Forgive my bent meta-

phors - I'm a psychologist sex therapist and university sex educator.) I receive a large number of professional journals and publications, but look forward to receiving none of them each month nearly as much as I do your excellent technical magazine. I read each issue cover-to-cover and, in true techno-freak style, now am nourishing a new fantasy of adopting an EPS so SQ-80 has someone nice to talk to while I compose my New Age brain-dead music.

Even though I feel like I've almost memorized the SQ-80 musician's manual, I have two questions. Please explain the limitation on the number of voices that can be played before "voice stealing" (that annoying clipping of sounds) occurs! Is the limitation the number of keys pressed simultaneously, or the number of different waveforms accessed by OSC 1,2, and 3, or something else? I know it has nothing to do with the number of tracks since I sometimes get voice-stealing while attempting to enter a third or fourth track.

Finally, I've found the track mix page to be virtually useless. Using the CV pedal or data entry slide, (or even a single volume setting change at the beginning of the track sequence) either on straight playback or audition playback, the edit is not remembered even though I respond "yes" to the "program change" prompt. My dealer expert is stymied and the manual is sparse on this subject. Am I attempting a post-mix that is beyond the SQ-80 capacity, or am I doing it wrong?

Robert Hatfield, Ph.D.
Cincinnati, OH

[Ensoniq's response - The voice limitation has to do with the number of notes being played (whether by the sequencer or the keyboard). If more than eight notes are playing at any given moment, voices (notes) will be stolen. Keep in mind that sounds with long release times may still be "on" even if you can't hear them and could result in other voices being stolen. Also, layering programs uses two voices per note and will reduce the number of notes that can be played before voice stealing occurs.]

Volume changes during a sequence can only be created using the volume pedal while recording (set PEDAL=VOL on the MASTER page). A static mix can always be set during playback. You must then stop the sequencer, select a new sequence, and answer YES to the "Save Changes" prompt.]

Dear Hacker,

I'd like to respond to Steve Munro's letter in which he criticizes mine and some other vendors' ESQ-1 patch libraries. I find his remarks disturbing, mostly because having just announced six new volumes of sounds to my previous customers, I've been getting calls and letters literally every day, seven days a week, telling me how much they like my work, and to please keep at it. This has happened before when I released new sounds. If it hadn't, I wouldn't have stayed in this business, because I'm certainly not getting rich at it.

I have also gotten a handful of negative calls. I guess you can't please everyone.

I've heard all but one of the other libraries

EYE AND I PRESENTS —

Voice™ Crystal **ESQ-1** **D-50** (NEW PRICE!)

NOW AVAILABLE FOR THE

SQ-80

NEW!

AVAILABLE AT YOUR DEALER

NEW! **SQ-80** NEW!

Voice Crystal 1-SQ8 3 1/2 Disc \$32.00
80 Voices plus Demo Sequences
(Not for use in ESQ-1 or ESQ-M)

SQ-80 • ESQ-1 • ESQ-M
80 Voice Programmable Cartridges

Voice Crystal 1-ESQ \$62.95
Deep Blue EPROM

Voice Crystal 2-ESQ \$62.95
Magnificent Red EPROM

Voice Crystal 3-ESQ \$62.95
Mellow Yellow EPROM

Voice Crystal X-ESQ \$49.95
Crystal Clear Blank RAM

(New Low Price!) **D50** (New Low Price!)
64 Voice RAM with Write Protect

Voice Crystal 1-D50 w/32 voices \$85.00
Voice Crystal 2-D50 w/32 voices \$85.00
Voice Crystal X-D50 64 voice blank \$85.00

EYE AND I PRODUCTIONS, Inc.
2151 Old Oakland Rd., #224 • San Jose, CA 95131
PHONE (408) 943-0139

ATTENTION!! SQ-80 OWNERS

1000 +
NEW VOICES
ON DISK

SOUND
BANK™
SQ-80 LIBRARY VER 1.1

\$39.95

PLUS \$2.00 UPS

FRED'S MUSIC SHOP

212 W. LANCASTER AVE.

SHILLINGTON, PA. 19807

1-215-777-FRED(3733)

A GREAT SAMPLER

IS ONLY

HALF THE

STORY

THE

OTHER

HALF IS

SOUND HOUND

**GET A FREE DISK FOR
THE SAMPLER OF YOUR
CHOICE AND FIND OUT
WHAT'S IN STORE FOR
YOU AT SOUND HOUND**

Please send the
FREE SAMPLE DISK
and Sound Catalog
for (Check one:)

- ☐ ENSONIQ EPS
☐ EMULATOR III
☐ CASIO FZ-1
☐ ROLAND S-50
☐ ROLAND S-330
☐ ROLAND S-550

I've enclosed \$3.50 for
S/H & misc. costs.
(\$5.50 for FZ-1)

Name _____

Address _____

City _____

State _____ Zip _____

Mail to:

Sound Hound
5339 Prospect Rd
Suite 141
San Jose, CA 95129
408-866-0805

Steve mentions, and talked to all but two of their designers personally. The sounds he dislikes so strongly are the ones I like best, and are also the ones I know took the most time and effort to program. One of the libraries he recommends was, I was told by the programmer, done in its entirety in two hours. One of your reviewers, Chris Barth, raved about these sounds. Although I really do think that on some level these things are extremely subjective, I would also say Steve's taste is questionable, as are some critics'. Still, on some level, everyone's opinion is valuable. That is what democracy, "free enterprise", and the Hacker are all about.

As to drums and acoustic instruments, no, they are not my best sounds, Steve, not by far. However, that is because the ESQ-1 has an analog style voice architecture, albeit with a nice acoustic piano waveform. Generally, if you want very realistic acoustic instruments, you should use real acoustic instruments. Even sampled sounds, to my ears, do not even approximate real solo strings and woodwinds, for example - saxes especially. I also recommend to people looking for realistic drum sounds that they buy a drum machine or an SQ-80. The drums I have are good only as temporary substitutes, or for layering, or adding variety to sampled drum parts. I would recommend the Alesis HR16 as an excellent low cost drum machine. Oh, and while we're giving out free advertising, Al Goldberg of Still Voice Audio wrote in a while back accusing me of responding to a review in order to get free advertising, so now you don't have to write again, Al.

Sincerely,
Nick Longo
Cesium Sound
Berkeley, CA

Dear Hackers,

Now here's a request. I'd love to see an article on how to build an Input Sampling Filter for the Mirage DSK. It doesn't seem like it should be that hard to do (from what I understand, it's just an LPF with a very steep cutoff). I just don't have the expertise to design it myself. I'm sure there are many more DSK owners who'd benefit from such a project.

Anyway, thanks for all the info you've delivered over the years - the Hacker is worth its weight in gold.

Yours,
Charles Blaum
Sound of Glass Studio
West Boylston, MA

[Ensoniq's response - The DSK was not designed to accept our Input Sampling Filter due to an overwhelming lack of interest by customers. Since the ISF had programmable cut-off frequencies, it would be quite complicated to work it into the DSK.]

[TH - Well, we're certainly open to publishing this if someone else wants to tackle what sounds like a fairly difficult task for a fairly small market.]

Dear Hacker,

Polyphonic kudos to a great and getting greater newsletter. Polytimbral congratula-

tions to Ensoniq for the outstanding EPS. Poly...oh, never mind.

There is just one little thing that bugs me on the EPS. The other day I tried hooking my EPS and a controller, as well as some other synths up to my new MIDI patch bay/processor. I wanted to merge the EPS output with the controller output, do a little MIDI processing and then distribute it all back out to the synths and the EPS. Sounds like a fairly reasonable thing to do in this MIDI processing day and age. But...if the EPS is set to "SEND KEYS TO MIDI" it won't receive!?

I have confirmed this with Ensoniq. That's the way it's supposed to be! The EPS has such wonderful controller features, it sure would be nice if I could use them to their maximum potential AND use the sampler at the same time.

Can enough of us get together to change Ensoniq's mind?

While we are at it, how about these suggestions:

- A SCSI port on the 2x
- A rack expander (even if it's just more instrument buttons and/or voices)
- A global transpose function
- Allow MIDI send channel to default to the instrument number
- A disk backup utility
- A manual
- A two-for-one sale
- Jobs for my kids

Now that the nits have been picked, I do feel that no matter how I've got the send mode selected it should not effect the way it receives MIDI data. P-I-e-a-s-e change that, Ensoniq. But, even if you don't, thanks for making it easy to "Buy American".

Third generation Ensoniq user,
Pete Iverson
Boise, Idaho

[Ensoniq's response - It is true that if the EPS is set to "SEND KEYS TO MIDI", it will not receive data. Our software writers are currently reviewing this situation, so we may have more information about this in the near future.

A 2X with SCSI is now available in the form of the ME-1A. This is a 2X expander (now available at your local dealers for \$349.95) that leaves the option open for a SCSI kit to be installed. The kit must be installed by an ENSONIQ Authorized Service Facility (\$99.00 for parts and installation).

If you have sent in your warranty card, you will be receiving your Advanced Applications Guide along with the nine new sound disks shortly.

We thank you for your suggestions as these always play a major part in future product development as well as the updating of current products.]

Dear Transoniq Hacker,

I would like to thank Rick Parent and Ensoniq for the clinic at Louisiana Tech University in the fall of last year. Luckily, my Dad, who teaches at LA Tech, agreed to check me out

of high school to see it. The clinic was incredible! It made me decide to buy an ESQ-1.

Thanks for the great mag. I don't know what I'd do without it.

P.S. Would anyone like to trade patches or sequences for the ESQ-1 in conjunction with an Alesis DR-16?

Philip Cook
2805 Belcara
Ruston, LA 71270

[Ensoniq's response - We thank you and Rick thanks you.]

Dear Hackers,

Having just finished repairing my Mirage DSK (one of the older ones) I thought that I'd write in and spare some owners some grief. I've had a Mirage for about three years now and it's been down about five times. Each time the symptoms have been a blank display, the keyboard infinitely sustaining, a garbled sound, a random sequence that won't stop, and/or a hum.

At first, because of the hum, I thought the transformer was bad so I had my local music store replace it under warranty. Well, everything was OK for about two months. This time I had my music store send the Mirage back to Ensoniq and I think they must have replaced the power supply and motherboard. That fix was good for about three months. Since it was still under warranty I took it back to the store. Whatever they did got it through its warranty period but shortly after it went down a fourth time.

So, it was time to make a decision; either I fixed it myself or I used it for a boat anchor. Since I didn't have a boat I decided to open the thing up and put my Electrical Engineering degree to use. I pulled the power supply out and checked it with a voltmeter. Everything looked OK. Because of the motherboard design, I stopped at that point and decided to put it back together and send it in for the last time.

After I got it together I turned it on in disgust. The problem was gone. What I had not checked were the connectors. I opened the case up and looked for signs at a back connection and I found it. The connector from the transformer to the power supply was not only warm to the touch (unusual) but had also showed signs of discoloration (turning brown) around one of the pins. I removed the connector, cleaned up the pins on the power supply with a fine file and bent the pin slightly to give it a better connection.

My fix was good for about a year and a half. I didn't really expect to have any more problems but the other night our keyboard player started complaining about the Mirage **distorting**. Cool, calm, and collected I went to work. I cleaned the pins up enough to get us through practice.

After practice, however, I decided to go back into the Mirage and fix it once and for all. I removed the same connector (from the transformer to power supply) and removed each of the sliding contacts from the connector plastic housing. Using a fine file I cleaned up all of the slides and bent them out

to give better springing action. There's a little tab under the slide which I also bent out to reinforce the slide itself. I then cleaned up the pins on the power supply and straightened up the ones I had purposely bent before. Everything works great now.

A couple of notes before you try this yourself. One of the signs of a bad connection on the power supply connector is a slight hum. You can feel the vibration by putting your hand on the Mirage emblem on the case. The hum, however might not always be present; it depends on how bad the connection is. Another thing, don't be afraid to try to fix it yourself but unplug your power cord before doing so. Also avoid coming in contact with the motherboard and when you're filing use a super fine contact file or super fine emory cloth and file very lightly. Don't get the wires on the connector mixed up - do them one at a time. And make sure you plug in the connector right when you're finished; you can easily shift it one pin over if you're not careful.

Happy hacking,
Stephen Popielarczyk
Beaumont, TX

[Ensoniq's response - The connectors on all of our products are plated to prevent corrosion. Sometimes there are flaws in the plating which over time and depending on the environment (humidity, smoke, etc.) can allow the contacts to corrode and degrade the connection. It is preferable to clean the contacts with a solvent rather than filing them as this can remove even more of the plating.]

Not that dear Hacker,

Something is wrong but maybe it is not your fault. I took my subscription in August 1987 and received issue number 26. I then received the next 9 issues in the first week of each month (that makes 10). As I was ready to renew for another year (I do love your newsletter), something different occurred: the June issue was not arriving. Everyday I waited for the mailman (remember that old Beatle song). It finally arrived June 22 with a British postmark and little note on page 3.


Today is August 3 and I still haven't received the July issue which would be the twelfth. As I write this letter, 2 questions arise:

1. Will I ever get that 12th issue?
2. Should I renew my subscription?

I still love my ESQ and I still need food for Him!

Marc Laveaux
Repentigny, Quebec

[TH - Well, the little note on page 3 of the June issue explained "why" and "what happened." I hope you saw the little note on page 3 of last month's issue. We're now offering a "First Class Option" for Canadians. We don't like this anymore than you do - but with postal monopolies, what can you do? (And, of course you should renew.)]



MVP-™ ESQ and Microsoft® Windows®

with an IBM® PC/XT/AT or Yamaha® C1 is the easy way to manage your Ensoniq® ESQ-1™, ESQ-M™, or SQ-80™ with features like:

- Familiar patch sheet or flowchart style voice editing
- Graphic envelope editing in popup window for easy envelope changes
- Intelligent random patch generator with voice interpolation
- Edit up to eight banks or master libraries with patch descriptions
- Control panel to press synth buttons remotely

MVP-ESQ requires a PC running Microsoft Windows 2.0 or greater, a MIDI interface, and a mouse. A hard drive is highly recommended. The retail price is \$119.95. Demo disk \$5. MC/Visa/COD/Check.


Playroom Software

7308-C East Independence Blvd., Suite 310
Charlotte, NC 28212 (704) 536-3093

Trademarks and Registered Trademarks: MVP-: Playroom Software;
Ensoniq, ESQ-1, ESQ-M, SQ-80: Ensoniq Corporation; Yamaha: Yamaha Music Corporation;
Microsoft, Windows: Microsoft Corporation; IBM: International Business Machines Corporation

Q-SPECTRUM

Nothing else even comes close



KEYBOARD Magazine: "Those of you who are looking for some incredibly fresh new sounds should check out **Q-SPECTRUM**. These people **really** know how to program the ESQ-1. Presented by Patch/Works Music Software, **Q-SPECTRUM speaks for itself**. In two volumes of 80 sounds each, the library has plenty of **innovative** and extremely useful sounds. These sounds are impressively **huge and lush**. The pianos, organs, and other emulative sounds have many of the **true acoustical** features present in the real instruments. There are also **gobs** of interesting effects and synth sounds. These sounds are definitely upfront and very present -- without the ESQ cliches. It's obvious that the programmers took careful advantage of the programming capabilities of the ESQ. *If you're looking for some progressive sounds for your collection, the Q-SPECTRUM should make a great addition.*" -- Reviewed Jan.'88 (C) Reprinted with permission


If you don't have the Q-SPECTRUM™ sounds in your ESQ, you still haven't heard half of what it could really sound like --

Programming synthesizers is an **ART** as well as a science. Now you can have the same artistic edge as some of the top New York recording studios -- Patches by renowned programmer Jed Weaver. His artistic vision has created fantastic full-**SPECTRUM™** professional sounds so good, you may find it hard to believe it's the same instrument.

Q-SPECTRUM™ -- For the ESQ-1/ M/SQ-80 -- Sizzling, new sounds that will take you to new heights of performance. Each 80-voice Volume is full of **all** types of instruments -- **acoustic and synthetic** -- with emphasis on keyboards. Great basses. Super strings. Real kick and snare. Fat analogs. Digital bells. And much, much more... All those sounds the critics have been **raving** about in reviews!

NEW PRICES!

80-voice ROM Cartridge	-- Volume 1 or 2	-- \$39.95
80-voice RAM (E ²) Cartridge	-- Volume 1 or 2 (programmable)	-- \$64.95
160-voice ROM Cartridge	-- Contains both Volume 1 and 2!	-- \$74.95
160-voice RAM (E ²) Cartridge	-- Volume 1 and 2 (programmable)	-- \$124.95
Data Cassette -or- Disk (ST/Dr. T)	Volume 1 or 2	-- \$28.95 Demo tape - \$5
NEW! Blank 80-voice RAM (E ²)	-- \$43.95	Blank 160-voice RAM (E ²) -- \$84.95
Available on SQ-80 disk (160 sounds) -- \$54.95!		



ORDERS ONLY: (800) 77-SYNTH



Info and in NY State : (212) 873-2390

Hours M-F 10-7 Sat. 10-2

AVAILABLE AT YOUR ENSONIQ DEALER OR DIRECT FROM

To Order: Send check or money order (faster). Call for COD. Specify product/volume. Add \$2.50 shipping. (Demo ppd.) For-



oreign orders (US\$ only) add \$4.50. NY State residents, add tax. Write for voice lists. ESQ/SQ80™ Ensoniq. D50™ Roland. 81Z™ Yamaha.

P.O. Box 450 Dept. TH New York, NY 10024 (212) 873-2390

Serious tools for serious musicians from Patch/Works

Are you getting the full **rainbow** of sonic colors that your synthesizer is capable of? The **SPECTRUM** series sounds have been specially created to drive your synthesizer to its utmost maximum potential. When patches are crafted this well they become more than just sounds - they become **tools**. That's why many professional musicians who make their living from playing, trust our sounds to deliver. Sounds that you will use constantly. Not "throw-aways" you waste money buying. True, they cost slightly more than inferior collections. Because each **SPECTRUM** contains an assortment of invaluable **studio-proven** acoustic and electric keyboards, organs, pads, killer basses, lush strings, rich brass, exotic percussion, fat analog sounds, effects, and much more...! What a supercharger could do for your car, Patch/Works **SPECTRUM** sounds will do for your synth. Give you the maximum performance possible from your machine.

NEW! D-SPECTRUM

Sounds for Roland D-50

Tired of the cliché "D-50 sound"? We were. Our new patches, the results of ten months labor and programming efforts will make you regard your D-50, once again, as one of the most exciting synthesizers you'll ever hear. Plus duplicate some of those classic "FM" and "Analog" synthesizer sounds you love. Volume One (64 sounds) On RAM card: \$89.95 Load your RAM -or- on Dr.T/ST disk: \$34.95

Z-SPECTRUM

Sounds for Casio CZ series

These renowned patches are actually endorsed by CASIO, who used them at NAMM to demonstrate the CZ's great potential. Guaranteed to make you take your CZ out of the closet and use it frequently again. Vol. 1 (64 sounds *plus* 40 variations) On 64-voice Lithium battery RAM cartridge: \$44.95. On ST disk: \$34.95 Compatible with every model CZ.

Also available: **KORG POLY 800** (mk I) / EX-800 -- 64 fresh, original sounds (On data tape): \$14.95

SPECTRUMS to look for in the future: Korg M1, Kawai K1, Casio FZ1...get on our mailing list

Dear Hacker,

I am a professional musician. I bought an EPS that I use on the job and I'm very happy with it.

Recently at one of my gigs, a client who is into computers told me that a floppy disk with the capacity to hold 2 Meg of information has been developed. Is there a chance this will help the EPS owners who wish to get more sounds on one disk?

P.S. Enjoy your magazine - keep up the great work!

George Finizio
Redlands, CA

[TH - There's a lot of different mass storage methods and devices out there and more being developed. (We're waiting for the price to drop on the 10 Meg floppy drive just out for the Atari 520ST.) But, it's not the disk - it's the drive. Ensoniq would have to change the drive on the EPS. Right now, the most cost-effective way to gain access to mass storage devices is to do just what they did - put a SCSI port on it. Then you can use industry-standard hardware (even the 10 Meg floppy just mentioned). Keep watching that port! (Check out Craig's article in this issue.) We'll cover more on this in future issues.]

[Ensoniq's response - It would be impossible to retrofit this drive into the EPS as the built-in floppy disk controller would not be able to handle it. SCSI is the best bet.]

Hi Hackers,

Where is Operating System 3.5 for the ESQ-1? In Finland, we still have 2.0!

Thanks for your great mag.

Pekka
Suvinen, Finland

[Ensoniq's response - OS 3.5 has been available in the U.S. since the beginning of April of this year. Contact ENSONIQ Europe (Phone 03465-69664) for more information.]

Dear Transoniq Hacker

Since the responsibilities of our new business (Danlar Music) have calmed down a bit, I'd like to share some information with our fellow Hackers. In the last year or two, I have accumulated some tips on dealing with ESQ specific sequencing problems like pitch wheel glitches, note robbing and timing errors. These pests have become part of my life so some hints might be appreciated by those who haven't been fumbling with them full-time as I have.

Before Larry and I became thoroughly familiar with these problems, some of the more subtle glitches got shipped. They didn't bother us much at the time, but it resulted in a less than perfect product. Customer feedback called our attention to some rough spots; and in every case, we have made corrections and updated our files. This process has increased our level of expectation in a quest for perfection, and we thank everyone who has contributed. If any of our users have unsolved problems you haven't discussed with Larry, you should call in so we can deal with them

immediately. Chances are, we already have the fix and you just didn't get a copy. Or there may be some user error. Someone called in just today reporting to Larry that I had programmed some drum parts that were really busy and cluttered up the mix. Turns out he had his drum machine in OMNI mode so it was responding to keyboard and bass notes showing up on channel 1 (due to the default status settings of those tracks). Technician Larry is available to help with these types of problems.

When musicians call in for the first time wondering just what this Monster Dan stuff is all about, they frequently ask "does it sound just like the record?" Imitating a big budget production on a single, inexpensive synthesizer has some definite limitations; but our goal is to program the arrangement just like the record. Many artists' recordings have parts that are difficult to distinguish; and frequently, the arrangement calls for more than eight voices - so many compromises must be made. For reasons too numerous to mention here, the arrangement and/or mix that sounds fine on the record is not necessarily going to produce the optimum results on the bandstand. Our modified (realistic) goal is to capture the vibe of each song and intensify that vibe for live performance, compensating for system limitations whenever necessary. Sometimes this means writing in some more drums or elaborating on some part I think I hear buried in the mix (or want to hear).

Dan Bergstrom
Danlar Music
Tualatin, Oregon

TH - HELP!!!!

Have the Following: MAC plus, MACFACE INTERFACE, Performer 12, EPS.

Can't seem to get the computer to play the keyboard. And nobody up here in the provinces has any clue of how to do it!

Send diagrams, info, whatever.

HELP!!! PLEASE.

Henry Dempsey
Cape Elizabeth, ME 04107

[Ensoniq's response - The information that you included is too vague for us to work with. Contact ENSONIQ Customer Service at (215) 647-3930 and detail the situation for us. Our representatives would be glad to assist you.]

Dear Hacker:

I just finished reading the Interface this month and the letter about the clicking keys on a ESQ-1 caught my eye.

My SQ-80 is less than 4 months old and I agree it's a great machine. However, my keyboard has 4 keys that have a pronounced click, and several more with less annoying, but still audible clicks. It sounds as if the keys are landing on a hard surface instead of a rubber stop.

This is not a problem when performing or playing at volume. But it becomes very annoying when I am practicing at home, playing soft classical passages.

Is this a common problem with Ensoniq keyboards? It's not that it's a major issue, but it is discouraging when your new \$2000 instrument starts sounding like a \$100 plastic toy.

David Corley
ST. Louis, MO

[Ensoniq's response - The click that you hear on the SQ-80 is in the design of the keyboard assembly. The firm stop is used to prevent the keys from accidentally entering the pressure region. We are working on ways to reduce the click.]

Dear Hacker:

Thank you for printing Phil Rosine's review of MSCI in the August issue of the Transoniq Hacker. I would like to point out that the name of the product is MSCI: Mirage Sound Creation Interface (not MIDI Sound Creation Interface).

Also note that we are selling the program for \$55.00 plus \$5.00 shipping and handling (not \$59.95 which appears in the box of the review). The demo version sells for \$10 (not \$5 as stated in the feature table).

Jeffrey M Richter
Lindenwold, NJ

[TH - Seems like nobody EVER says - "Hey, you sure spelled the name of my company right." (Sorry about the errors.)]

SOUND LOGIC

ESQ*1/SQ-80
MODULAR VOICE SYSTEM
(See Ad in Classifieds)

"The Pedal Organizer"
Only
\$19.95



- 1/8" BLACK ANODIZED BASE
- VELCRO FASTENING SYSTEM
- LOW PROFILE
- RUBBER FEET PREVENT SLIPPING

For free brochure or to order:

SOUND LOGIC
1125 ELEVENTH ST
RAMONA, CA 92065

Free shipping & handling - Free support

Dear Transoniq Hacker,

Back in April, I purchased an EPS; since then it's been like a wife to me. Even the best of marriages are bound to have some problems. Aren't they? Well, currently I'm having two.

My first problem is: **SAMPLE RATE CONVERSIONS**. When I try to convert the sampling rate (lower) on any sound, it becomes a totally different sound. A horrible sound, to be exact. It doesn't resemble the original in any way! As a matter of fact, when the screen reads "OLD NEW" scrolling to "OLD" doesn't return me back to the original sound. My only way out is reloading the sound. Does anybody have an answer or a solution to my problem? I'm totally in the dark about this one!

Second problem: **NOISE**. Upon loading and selecting a sound, it's fine! BUT when I strike a key, any key, that's where the noise comes in. It's not too bad at first; but as time goes on, it seems to get louder and louder. Recording to my little multi-track is out of the question. It's real noticeable. The sound resembles the leader tone on data tapes. It's a high-pitched "eee...". Could the cause be faulty grounding in my room or house? Or extraterrestrial beings landing in my backyard? Or even worse?!

Nevertheless, this is one killer board! I'll appreciate any help I can get on my problems; I need to get things straight with my wife again.

Thank you
Gerry G. Carter
Denver, CO

[Ensoniq's response - Make sure you are using the latest OS (1.5).]

Dear Hacker:

Just some comments on a couple items raised by a few frustrated ESQ1 owners in previous issues:

A) **Tape Cassette Interface Problems**: After trying several inexpensive portable cassette units (unsuccessfully), I settled on a Panasonic model RQ2738. It's a portable data program recorder with audible monitor feature. To make it work though, you will need two Radio Shack 40DB in-line attenuators-- one in each connection to the ESQ-1. Without the attenuators, it won't work-- probably because of overload distortion. I suspect level problems might account for many of the cassette interface problems with other cassette units as well. The Panasonic RQ2738 (if you can still get one) works very well- with the attenuators.

B) **Music Direct's C64 ESQ-1 Librarian Program**: It took one follow up letter, but I did get my copy (plus a courtesy backup copy) back in January, 1988. Works great - it's strictly a patch librarian, no sequences, no printer utility, but you have immediate access to up to 12 * 40 = 480 sounds if you choose to load all 12 banks. Very simple to use - menu

driven. A good buy for the money, in fact it's almost put the RQ2738 out of a job!

Also I recently obtained "The Worx" - 1740 sounds from Softworx, Bayonet PT, Florida, on C64 1541 floppy/Music Direct format, and I'm very happy with their product as well.

C) **General Comments**: I'm not sure what success others out there will have in obtaining the above products (some of them may have been discontinued), but with some scrounging and little luck, who knows! My ESQ1 is still at version 2.00 and I'm not sure if the newer software upgrades would have a bearing on the operation of Music Direct's program. I suppose I'll find out when I upgrade.

Thanks to the Hacker staff for a very helpful and entertaining magazine.

JDM
Regina, Sask., Canada

[Ensoniq's response - We've also had good success with the Radio Shack decks designed for use with computers.]

Dear TH Interface,

As an SQ-80 owner, I have experienced some problems with timing delays between sequences. This sometimes barely noticeable millisecond hesitation gets worse between sequences with different track assignments or when sending program change information to my Alesis HR-16 drum machine. This glitch sometimes results in an obnoxious carry-over tone from sequence A to sequence B. The problem occurs when auditioning sequences back-to-back and when in song play, or even in a single sequence loop. I have tried quantizing, changing track assignments, even appending sequences together when possible. Sometimes it makes the hesitation less noticeable, but most of the time I'm left with unusable sequences. I'd appreciate any advice or clues to alleviate this problem.

I have also sometimes encountered problems with the step editing function when removing unwanted notes from the end of a sequence. After removing the note(s), I "PLAY NEW TRACK," and the sequencer plays exactly how I performed the edit; however, after I "KEEP NEW TRACK" and then play it back, I discover that my unwanted notes reappear!

Help!
Greg Weber
Dover, NH

[Ensoniq's response - This isn't something that we have ever come across before. If you can send us a disk that has the glitched sequence information on it, and detail in a letter exactly what steps you followed to make the problem occur, we would be glad to look into it.]

Send to: **ENSONIQ Corp.**, 155 Great Valley Pkwy., Malvern, PA 19355, Attn: Steve Mash.]

Dear Sir,

I'm now the proud owner of an EPS, and consequently have been reading your articles and letter pages with great interest. I agree with many of the comments I've seen so far - lack of real manual, off center "center" pan

Livewire Sample Disks



Select any ten disks for your Ensoniq EPS, Mirage or Casio FZ sampler for only \$129, and get a FREE carrying case. We have dozens of great sample disks, all recorded directly to 16-bit digital and computer--edited in our own studio. You'll HEAR the difference! Choose from:

MiniMoog synth, ARP Strings, tons of drums, electric piano's, all kinds of organs, tenor, alto and soprano sax, sax & brass sections, concert harp, Indian, Island, Latin, African & misc. percussion, solo and dual violins, violin sections, orchestral strings, cello, flugelhorn, heavy metal, solo, and Strat guitars, Orchestra hits, Jupiter6 synth sounds, mandolin, accordion, TX816 fatbrass, celeste, glock, and many other bells, Steel drums, kettle drums, all types of vocals, muted, straight & wah-wah trumpets, harmonica, great bass disks, incredible D-50 disks, collections of "the unusual", and last but not least our own Grand Piano disks.

Mirage & Casio FZ-1 disks available separately from \$8.95 to \$19.95 per disk. All Mirage disks now come with Leaping Lizard's operating system for many exciting new MIDI functions.

For more details, ordering info, or the facts on our complete line of alternative synth sounds for Yamaha, Korg, Roland, and Ensoniq synths, send a stamped self-addressed envelope, or \$6 for a demo tape (specify your keyboard). Drop us a note - you'll be glad you did!

Livewire Audio

Dept. TH - PO Box 561, Oceanport, NJ 07757



position, etc., but here's some comments I've not seen mentioned yet.

1. If I construct a wavesample, set of layers, or instrument larger than the 800K storage space available on a floppy disk, how can I save it (apart from hard disk)? If not, how about future upgrades to allow internal memory to be "segmented". In an extreme example - say an instrument (or even a wavesample) of 1200 block size split into two segments onto disks, and reloadable back into one instrument or wavesample.

2. While on the subject of memory storage: If I am using the EPS in MultiMode, say instruments 1 to 6, and each instrument has its own outputs and performance characteristics - and I wish to store this "snapshot" to match with my outboard computer sequence file. As I can't fit all these instruments onto one disk, I have to dump in the following way. First, as many instruments as I can fit onto disk 1, plus bank 1 memory, - then delete these instruments in internal memory and then save the remaining instruments plus bank 2 memory onto the second disk. When loading my song instruments back into the EPS at another time, bank 1 still sees the full six instrument locations and "double-loads" its available sounds. I then may have to delete any excess instruments (if the EPS asks) and then load bank 2 from the second disk. Is there a more efficient way to handle this procedure?

3. As the sample quality of the EPS definitely places it further upmarket than "budget", surely there must be many users like myself, who are running external computer sequencers. In my case - an Atari 1040ST with Hybrid Arts software. So I have no use for the internal sequencer and the memory it occupies with the 4X expander. Is the sequencer software-based? If so, could an alternate OS be developed minus sequencer, perhaps incorporating expanded editing features - resonance filter, multiple loop points, or whatever the hardware might handle? A user would still have the choice of booting either OS.

4. A minor problem I've found in two different OEX-8 expander boxes - Output 2 ONLY produces nasty loud clicks when copying layers or wavesamples. Could this be my EPS?

5. Could you recommend an Atari visual editing program for the EPS? Any chance that Alchemy will be ported over??

6. As the Atari 1040 sports RS232 and no SCSI port, could we have this option of data transfer on the EPS? Possibly the huge Atari base in Europe, Australia and elsewhere would make this realistic. If the EPS is capable of transferring pieces of sample data to Alchemy, then is MIDI data transfer an elegant alternative? I've found the S-900 editing packages unbearably slow due to the MIDI up and down loads.

Well, thanks for your time and space. I've got a great bunch of samples in the last couple of months and my "buttoning" is getting better all the time! Sorta like a great big typewriter, isn't it?

Yours optimistically,
Paul Draper
Brisbane, Australia

[TH - Actually, there are at least a couple companies making SCSI port adaptors for the ST. The one who's been doing it the longest (and whose address we have handy) is Supra Corp., 1133 Commercial Way, Albany, OR 97321

Unfortunately, at this time, Blank Software has no plans for porting Alchemy over to the Atari ST.]

[Ensoniq's response - 1. Larger files can be saved to SCSI. We are looking at modifying the floppy-save function but it is complicated to keep track of multiple disks.

2. The most efficient way is to only have the instruments that you are saving to the first disk in your internal memory. Save the instruments separately to the disk, then as a bank. Delete them from internal memory. Do the same procedure for the bank you're saving to the second disk.

3. The sequencer does not occupy sample memory and adds nothing to the cost of the EPS. Someone can certainly write a new OS if they choose, although filter resonance is not possible.

4. This was a bug that was corrected in OS 15.

5. We don't have any info yet for an Atari program; you may want to check with Blank Software.

6. RS232 would be so slow that no one would ever use it. MIDI would be faster; SCSI is almost instantaneous.]

Dear Hacker -

You people seem to have very close communication with Ensoniq so maybe you can answer this.

My company has been producing sequences for musicians for four and a half years and we support several computer/sequencer brands. We've been ecstatic as more of the hardware and software based sequencer manufacturers begin to adopt the MIDI song file standard as this means our songs will work on most systems that can read these files.

Is Ensoniq planning to adopt this standard for the sequencers built into the ESQ-1 and/or SQ-80? We get five or six calls a week from Ensoniq owners who have heard our product and would like to buy. We have a library of almost 400 songs and would have to port these units in real time, which could produce unpredictable results. In addition, we have virtually no spare "real time"! I'm fairly confident that Ensoniq isn't interested in adopting the standard just to benefit my company, but it seems there would be many advantages for the ESQ/SQ-80 owner who could load, in a simple manner, sequences generated by units other than those manufactured by Ensoniq.

A song in standard MIDI file format would load from disk as one continuous track composed of mixed MIDI channels. I realize that the ESQ would require an external disk drive. Our songs typically use four to five MIDI channels. Based on my understanding of the ESQ and SQ-80 manuals, the available memory, voices, and multitimbral setup is such that MIDI file songs could at least "fit" into these

units. Editing may or may not be easy but most of the folks who call us are performing musicians who don't have a lot of time for programming and want to get their hands on more songs NOW. Editing seems to be a secondary concern.

I understand the need to prioritize marketing plans, but is Ensoniq (or any third party developer) looking at this and are there any technical complications in adopting the standard?

Thanks for a very informative magazine.


Sincerely,
Stephen Kern
Trycho Tunes
Anaheim, CA

[TH - There's usually a world of problems generated when a company switches standards in the middle of a product's life.]

[Ensoniq's response - We really can't alter the sequence structures at this point. One of the reasons we can hold as many notes as we do in a limited amount of memory is due to our proprietary encoding scheme. There isn't any room left in the OS to add a translation function.]

ESQ-O-MATIC!!

ESQ-1/M Patch/Sequence Librarian
by ISLAND MIDI for Atari ST



- Includes 40 Original Patches (Vol.I)
- Prints patch sheets, directories
- Saves/loads full & single sequences
- Stores 3000+ patches on 5.25 diskette
- NOW WITH FULL SQ-80 SUPPORT

•\$39.95! (\$59.95 after 11/11/88)

"I would like to go on record as 'raving' about this product"

-Rick Hall, TRANSONIQ HACKER

ISLAND MIDI PATCHES (cass): Vol.I \$16.95,
Vol.II (new) \$16.95, Both \$30.00

ISLAND MIDI, P.O. Box 1102
Bayshore NY 11706
(516) 666-4167 (orders add \$2.50 P&H)

TRANSONIQ HACKER

1402 SW UPLAND DR., PORTLAND, OR 97221, (503) 227-6848

**FORWARDING AND RETURN
POSTAGE GUARANTEED**

**BULK RATE
U.S. POSTAGE
PAID
PORTLAND, OR
PERMIT NO. 913**

**SUBSCRIPTION MATERIAL
DATED MATERIAL - TIME VALUE**

Publisher: Eric Geislinger
Editor: Jane Talisman
Staff: Erica Gullixson

Our (somewhat regular) illustrious bevy of writers includes: Chris Barth, Michael Carnes, Dave Caruso, Walter Daniel, C. R. Fischer, Steven Fox, Rick Hall, Erick Hailstone, Jim Johnson, Duane King, Dick Lord, Kenn Lowy, Sam Mims, Clark Salisbury, Jordan Scott, Mick Seeley, and Don Slepian.

Copyright 1988, TransonIQ Hacker, 1402 SW Upland Drive, Portland, OR 97221.
(503) 227-6848 (8 a.m. to 9 p.m. Pacific Time)

Advertising rates: Please send for rate card.
Rates for authors: Typically 4 cents/word upon acceptance.

Subscriptions: 12 monthly issues. US: \$23/year, All others: \$30/year. Payable in US funds.

TransonIQ Hacker is the independent user's news magazine for Ensoniq products. TransonIQ Hacker is not affiliated in any way with Ensoniq Corp. Ensoniq and the names of their various products are registered trademarks of the Ensoniq Corp. Opinions expressed are those of the authors and do not necessarily reflect those of the publisher or Ensoniq Corp. Printed in the United States.

SONGWRITER SERIES

FROM
the MusicBank

80 ORIGINAL STUDIO QUALITY PATCHES FOR: ESQ-1 AND SQ-80

Drums/Percussion

-SNARES	-FAT KICK	-TIMPANI
-TOMS	-CRASH	-RIDE CYMBAL
-HIHAT	-WOODBLOCK	-AND MORE!

Electronic Sounds

-HAMMOND	-SOUNDS FROM HUEY	-FUZZ GUITAR
-ANALOG BRASS	LEWIS AND JOURNEY	-SYNTH PADS
-SYNTH ORGAN	-DIGITAL KEYBOARDS	-OBERHEIM

Realistic Acoustic Simulations

-STRINGS	-FLUTES	-VIBES
-HORNS	-GUITAR	-STRING BASS
-SAK	-SYMPHONY LAYERS	-HARP

RAM Cartridge (80 voices): \$59.95
Data Cassette Cart A (40 voices): \$19.95
Data Cassette Cart B (40 voices): \$19.95
(2) Data Cassettes A&B (80 voices): \$35.00

TO ORDER: CALL (408) 353-5040 OR WRITE TO: the MusicBank
18522 MTN. VIEW AVENUE, LOS GATOS, CA 95030. PLEASE INCLUDE
CHECK OR MONEY ORDER MADE PAYABLE TO: the MusicBank (ADD \$2
SHIPPING AND HANDLING - \$4 OUTSIDE USA). CALIFORNIA RESIDENTS
ADD 6.5% SALES TAX. WE ALSO ACCEPT VISA AND M/C BY PHONE.

VISA

&
M/C

(408) 353-5040

STILL VOICE AUDIO

MEANS

More Choices, More Quality Sounds
12 years of synth programming experience
Mix and Match your choice of sounds.....

SALE !

SALE !

SALE !

THE STILL VOICE AUDIO FALL ESQ-1 SOUND SALE IS ON !
FOR A LIMITED TIME, ALL 200 VOICES IN THE MIX AND
MATCH VOICE LIBRARY FOR THE ENSONIQ ESQ-1 ARE ON
SALE FOR

\$40.00 ON CASSETTE

This works out to 20 cents per sound - truly a good deal. Our ESQ-1 sounds have stood the test of time. Hundreds of satisfied customers prove it.

The Mix and Match Library has something for everyone. All sounds are the product of many hours of programming based on years of programming experience ... HEAR FOR YOURSELF.

To order: Send U.S. check or Money Order to the address below for \$40.00 + \$1.50 shipping. Include a copy of this ad or write "Fall Sale" on your order. C.O.D. orders accepted with money orders.



STILL VOICE AUDIO

3041 Sumter Ave. So.
St. Louis Park, MN 55426
(612) 927-0451

ESQ-1, SQ-80, and ENSONIQ are TM ENSONIQ Corp.